١,				
	FILE NO ATIONS			
	Energy in NID File	Chapted by Chipf		
().	The John S. R. Shoet	Open MIDIA Field Office		
	Location Map Pierrod	Apropolition		
	Card in tred	Transport States		
) I W R for State or Foa Land			
	OBJECTION CATAL			
	Date Well as a 12 8-31-56	Location inspecial m		
	ov C W W.∀ TA	Bond denoth		
	GWPA	Stato of Footband		
	LOGS F	LED		
	Driller's Log /2-10-56			
	Electric Logs (No.)			
	E 1 E-1	GR. Micro Micro		
	Lat Mi-L Sonio	Others		
			•	
	A STATE OF THE STA			
	Scout Report sent out			
	Noted in the NID File	77	and the second of the second o	
	Location map pinned	177		
	Approval or Disapproval Letter	77		
	Date Completed, P. & A. or	4		
	operations suspended	1-56		
	Pin changed on location map			
	Affidavit and Record of A & P			
	Water Shut-Off Test			
	Gas-Oil Ratio Test			
	Well Log Filed			
		I Such of Con	delling Is Wall	1
/,	1-1-11 Sunseque	Ly Xy		
	2 alan		U	
	1-1-11 Subseque			

STATE OF UTAH OIL AND GAS CONSERVATION COMMISSION NOTICE OF INTENTION TO DRILL

Lease No. 146027 Navajo Indian Tribal Lands "D"


OIL AND GAS CONS	ERVATION COMMI	SSION	Fort Worth	ı. Texa	ıs, Jun	e 29, 19 56
In complian	ce with Rule C	-4, notice is here	by given tha	t it is	our inte	ntion to commence
(E)		3_, which is lo			(30)	
from () line of	Sec. 19	Twp. 40-S, R. 21	I-E SI (Ner	M idian)	AN (Fie	ETH ld or Unit)
San Juan, Ut (County)	ah	on or about	2nd day	of management	July	19 ₋₁₀₀
LAND: Fee and P	atented (X)					The Texas Company
Lease No	Chartheau Zincia Maddingay, many atom sinini construents	Adre	S & contrasser to the section of the	CARL MATERIAL PROPERTY AND LOCATION AND LOCA	P	2.0. Box 1720
	main ()	aka jajaja dispersion	ranness skill komple stydding Ower (Esperio 1985) e styd ar cathar acthar (1985). C		F	ort Worth 1, Texa
Is location a re	gular or excep	tion to spacing ru	le? Regui	lar	_lias a su	rety bond been
filed? Yes	With whom? Ir	dian Land Fed.	Area in dril	ling un	e de la compania del compania del compania de la compania del la compania de la compania del la compania d	, v Januar Tamand (Stand Fluckston a respectably and Americans Americans).
Elevation of gro		State or Federal) Level is 4,584		ALL de	epth mean	urements taken from
top of Kel	ley Bushing	Taxiexxx Kelley B	which	3.8	11	ft above ground
Type of tools to	be used Rot	ary Proposed	drilling de	pth 590	00 ft.	Objective formation
18 Lower Herm	iosa					
		PROPOSED CAS	TNG PROGRAM			
Size of Casing	** 0 * 0 **	74 7 S HW				Cementing Depths
Trahan A D T	Tont		Ekon In.	anciaesissassassassassassassassassassassassass		mannanananan-antonanan dinterindan dinterindan dinterindan dinterindan dinterindan dinterindan dinterindan din
9-5/8" 5-1/2"	36# 23#	New New	1200 5900	0	5900'	5900
ar marakar mengulatan kepulatan kempuntuk menguntuk menguntuk menguntuk menguntuk menguntuk menguntuk menguntu Ar menguntuk mengunt	en manusco compresso del consequente en esta entre esta entre en esta entre esta entre esta entre esta entre e La consequente esta esta entre esta entre esta esta esta esta esta entre esta entre esta entre esta entre esta		では、 1000年 - 1000年 -	00/00- ora ylina anna yeon miy aya balkaradi. Anna kilan Ora Companyora and 4 (1861) di disa manyo yili akilan		
CO THE ARMINISTRANCE PRINCE PR	44-1-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	R E I 700 sacks of co	MARKS: ement to be	used.		validation valinasti napavis salituvio vir orvina palakos valia vira validationitus kenes see. Non validativio kali kali valida valida valida valida valida valida valida validationitus validationitus kenes
१८ नार्षः भे इतिस्थापुर्वः अयोजस्यां नेष्ठाविद्यात्त्र विकारण्याः स्थापितः विकारणस्य स्थापन्यस्य स्थापन्यस्य स १९ राजः भागान्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्यस्य स्थापन्	an Caralle Sun Alberta (1990) en en en en en 1990 en 1 Na la granda (1990) en 1990 en	ut official uses can't have region region and recommendation of the state of the st	Challings, in the or discount of the challenge of the cha	us Dice And Americans share filled the An engage in Mich Angered Bergesbering	useraniu, och militagriffersagsfrämskattenskrive echt Ordens - Prifet Versyddisser, Als 247 förstet i erkness i t Ordens	Bett mattelligen von der state von der einfliche soner Gelein aus die sen der state dem zu der senten eine gesche senten der gesche senten der gesche senten der der senten der gesche senten de
		AFFID	And the Andrews			
		lty of parjury, the my knowledge and h				
Approved			By	age of the second	Eltru	J. Velten
	<u>I</u>	- 	Divis		lvil Eng	ineer
			The T	**	tle or Po Company	paition)
		NEW REPROSPOSIONES CONTRACTOR CON	in the state of th	to a second second second second	CONTRACTOR DESCRIPTION OF THE PARTY OF THE P	Operator)
The the consequences in a committee of the consequence of the conseque	antikkeesti tuttiiteesti teitaki valtaaa vuo vipeestiyaan valtaviike vuo v	Palagonicida takus Pat Latinoviki (ilika Palasia), ilika takus Pat Latinoviki (ilika takus Pat Pat Pat Pat Latinoviki (ilika takus Pat	<i>midr</i> es	S P. (). Box 1	.720 contractation as the contractant of the contra
				Fort	t Worth	1, Texas

INSTRUCTIONS:

- 1. Complete this form in duplicate and mail both copies to the Oil and Cas Conservation Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.
- 2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.

4. Use back of form for remarks.



knowledge and belief, are true and correct.

Avision Civil Engineer The Texas Company

Registered Professional Engineer - State of Texas

AIR MAIL

The Texas Company P. O. Box 1720 Fort Worth 1, Texas

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo D-3, which is to be located 1945 feet from the north line and 607 feet from the east line of Section 19, Township 40 South, Range 24 East, SIM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

CLEON B. FEIGHT SECRETARY

GBF: co

oc: Phil Mc Grath USGS, Farmington, New Mexico

THE TEXAS COMPANY

TEXACO PETROLEUM PRODUCTS



PRODUCING DEPARTMENT WEST TEXAS DIVISION

Box 1221 Pampa, Texas

November 14, 1956

NAVAJO INDIAN TRIBAL LAND LEASES

With so

U.S. Geological Survey P.O. Box 965 Farmington, New Mexico Oil and Gas Conservation Commission Salt Lake City, Utah

Gentlemen:

I am, today, mailing by parcel post the following listed electric logs for completion of your files:

Navajo "C" Well No. 3

Laterolog Electrical Log-Gamma Ray Log Microlaterolog Gamma Ray-Neutron

Wavajo "D" Well No. 1

Microlaterolog Electrical Log Laterolog-Gamma Ray Gamma Ray-Neutron

Navajo "D" Well No. 2

Gamma Ray-Neutron

Navajo "D" Well No. 3

Gamma Ray-Neutron Microlaterolog Laterolog-Gamma Ray Electrical Log

Navajo "D" Well No. 4

Laterolog
Microlaterolog
Gamma Ray-Neutron
Electrical Log
Induction Log

Navajo "E" Well No. 2

Electrical Log Laterolog Gamma Ray-Neutron Microlaterolog

Navajo "G" Well No. 3

Laterolog-Gamma Ray Log Microlaterolog Gamma Ray-Neutron Electrical Log

Navajo "H" Well No. 1

Electrical Log Microlaterolog

Navajo "J" Well No. 1

Electrical Log Gamma Ray-Neutron Microlaterolog Laterolog

Yours very truly,

THE TEXAS COMPANY Producing Department

S. R. Lenning

District Superintendent

۱ ۹ ۱ مر	(A ₁	oril 19	52)	
-				0
1				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Age	ency .	Bare	Ljo-	
	rLi	al		
Allottee				
	-		Mile Strike Alle.	At it is

NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY	
evajo Indian Tribal Lands Vell No is located 1945 ft.	from $\binom{N}{N}$ line and 607. ft. from $\binom{E}{W}$ line of second	
(7 Sec. and Sec. No.)	(Hange) (Meridian)	

ing points, and all other importan

Drilled Shale to 5585° and cemented 5573° of 5-1/2° OD 15.5% and 14% seemless casing at 5585' with 500 sacks regular cement. Completed cementing 2:35 A.M. 8-21-56. Tested casing before and after drilling plug with 900% pressure for 30 minutes. Costed D. K.

I understand that this plan of work must receive approval in writing by the C	eological Survey before operations may be commenced.
Company	
Address	1
	By / Smillily
	TitleAset. Dist. Supt.

(A)	pril 19	52)	
			0

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian A	genc	y		aya	jo_
	1	r1	bs	1	
Allottee				- 	
					34.4

Lease No. I = 149= IND=88)6

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	 SUBSEQUENT REPORT OF WATER SHUT-OFF	100
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	 SUBSEQUENT REPORT OF ALTERING CASING	
	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

	Pampa,Tex	as, Sovember 15,, 19.56
Well No is loca	ted 1945ft. from $\binom{N}{\mathbf{x}}$ line and	607 ft. from $\{E\}$ line of sec. 19
(34 Sec. and Sec. No.)	(Fange)	(Meridian)
Angth(Field)	(County or Subdivision)	(State or Territory)

The elevation of the derrick floor above sea level is 4595 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5585'. Plugged back depth 5547'.

On 8-23-56, perforated 5-1/2" casing from 5456 to 5516 with 4 jet shots per foot. On 8-26-56 treated perforations with 2500 gallons acid. After swabbing and flowing to clean up, well flowed 215 barrels of 40.8° gravity oil through 1" choke in 8 hours.


I understand that this plan of work must receive approval in writing by the C	declogical Survey before operations may be commenced.
Company The Texas Company	
Address	
	By / mulily
	Title Asst. Dist. Supt.

m 9-331 b April 1952) (SUBMIT	IN TRIPLICATE) Indian Agency Raya Jo
도록하고도 "대통령 방법에 하는 "Haber Piliper New Age of Land Street Color (1985) 전 1985 전 1985 전 1985 전 1985 전 1985 전 1985	ED STATES
(교통 등 등 하는 하는 하는 하는 하는 하는 하네 트) 등 이용하는 것이다. 그는 하는 사람들은 사람들은 하는 것이다. 등 등 등 등 등 등 등 등 등 등 등 등 등 등 등 등 등 등 등	OF THE INTERIOR
GEOLOG	CAL SURVEY Losso No. 1414941816
SUNDRY NOTICES A	nd reports on wells $^{\odot\ell}$
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
OTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
OTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO ABANDON WELL	Supplementing Form-9-330
ell No is located _104_1t. from	m $\begin{cases} N \\ S \end{cases}$ line and 607 ft. from $\begin{cases} E \\ W \end{cases}$ line of sec. 1
is located 194 St. from (A Sec. and Sec. No.) (Twp.) (Field) (Field)	m \bigg\{\text{N}\} line and \text{State of Sec.} \tag{E}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
is located 194.5 ft. from If 1/4.5 cc. 194.5	m \bigg\{\text{N}\} line and \text{Infom} \bigg\{\text{E}\} line of sec. \text{A} \\ \text{(Range)} \text{(Meridian)} \\ \text{or Subdivision)} \text{(State or Territory)} \\ \text{vel is } \text{A} \text{S} \text{ft.} \\ \text{LS OF WORK}
is located 194.5 ft. from (X Sec. and Sec. No.) Anethorn (Field) The elevation of the derrick floor above sea levation of the derrick floor above sea levation.	m \bigg\{\text{N}\} line and \text{Meridian} \text{ft. from } \bigg\{\text{E}\} line of sec. \text{A} \text{Cange} \text{Or Subdivision} \text{(Meridian)} \text{(State or Territory)} \text{vel is } \text{A\$ \text{S}\$ ft.}
is located 1945Ht. from (X Sec. and Sec. No.) (Twp.) And (Field) (Field) (Field) DETAI tate names of and expected depths to objective sands; show sizing points, and all of	m \bigcolumn{B} line and \text{ ft. from } \bigcolumn{E} line of sec. \text{ line of sec. } line of sec
is located 194. It. from (A Sec. and Sec. No.) (Twp.) And (Field) (Field) (Field) DETAI tate names of and expected depths to objective sands; show sizing points, and all of the company of the c	m \bigcolumn{Bases} line and fit. from \bigcolumn{E} line of sec. \bigcolumn{A} (Meridian) \bigcolumn{A} (Meridian) \bigcolumn{A} (State or Territory) \bigc
is located 194. It. from (A Sec. and Sec. No.) (Twp.) Ane (Field) (Field) (County one elevation of the derrick floor above sea level that the names of and expected depths to objective sands; show sizing points, and all of the following information supplies.	m \bigseleft\ \text{line andft. from } \bigseleft\ \text{line of sec}\ \text{(Meridian)} \text{(Meridian)} \text{(State or Territory)} \text{vel isft.} \text{ft.} \text{LS OF WORK} \text{es, weights, and lengths of proposed casings; indicate mudding jobs, certifier important proposed work)}
is located 1945Ht. from K. (% Sec. and Sec. No.) Ane (Field) The elevation of the derrick floor above sea level tate names of and expected depths to objective sands; show sizing points, and all of the following information supplies.	m S line and M. ft. from E line of sec. (Rangs) (Meridian) or Subdivision) (State or Territory) wel is 4525 ft. LS OF WORK es, weights, and lengths of proposed casings; indicate mudding jobs, certifier important proposed work)
is located 194. It. from (A Sec. and Sec. No.) (Twp.) And (Field) (Field) (County to be elevation of the derrick floor above sea level tate names of and expected depths to objective sands; show sizing points, and all of the county in t	m S line and
is located 194. It. from (A Sec. and Sec. No.) (Twp.) And (Field) (Field) (County the elevation of the derrick floor above sea levate names of and expected depths to objective sands; show sizing points, and all of the county in formation and the county in the cou	m N line and
is located 194. It. from If (% Sec. and Sec. No.) Ane (Held) The elevation of the derrick floor above sea levate names of and expected depths to objective sands; show sizing points, and all of the collowing information Shina information China Collowing County China County	m \bigcolon \line and \tag{Meridian} \text{ft. from } \bigcolon \bigcolon \text{line of sec.} \tag{Rango} \text{(Meridian)} \text{(State or Territory)} \text{vel is } \text{1. ft.} \text{LS OF WORK} \text{es, weights, and lengths of proposed casings; indicate mudding jobs, centher important proposed work)}
ell No is located _194_ft. from the l	m N line and
And (Field) And (Field) The elevation of the derrick floor above sea levate names of and expected depths to objective sands; show sizing points, and all of the control of the control of the control of the control of the derrick floor above sea levate names of and expected depths to objective sands; show sizing points, and all of the control of the	m N line and

Address Sox 1221

Pampa, Toxas By Title Asst. Dist. Supt.

Form 9-330



J. C. W.

U. S. LAND OFFICE SERIAL NUMBER 1-149-1556
LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

	@t		-				total select	
_	-				20 A S A S A S A S A S A S A S A S A S A		State	
							ounty San	KOP
		, ,			` ,		19 El	
		ation given determined		ailable re		, X	well and all wor	k done ther
Date	11-2	7-56		-		$Title_{-}$	ist. Supt.	
Th	ne summa	ry on this p	age is for t	he condit	ion of the well			
Comme	enced dril	ling	July-9	, 1	.9 56 Finishe	d drilling	August 19-	, 19.
			OI	L OR G	AS SANDS O	R ZONES		·
			•	`	(Denote gas by G)			
•	·				·		to	
							to	
No. 3,	from		to		No. 6,	from	to	
	from	في الله الأرب على المناسلات	to	7.0	No. 4,	from From aproxim	to	- 287 }eu
Size	from:		* to	CA	No. 3, No. 4, SING RECOR	from from or	Perforated	- 447 1044 † 1679 11 6 233
joru:	from	في الله الأرب على المناسلات	to	CA	No. 3, No. 4, SING RECOR	from of torse	Perforated	Purpos
Size	from:		* to	Amount	No. 3, No. 4, SING RECOR	from from Cut and pulled from	Perforated	Purpos
Size	from:		to t	CA Amount	No. 3. No. 4. STNG RECOR Kind of shoe	from from Cut and pulled from Description Description Albertand Pulled from	Perforated From To	Purpos
Size casing	from:	Threads per inch	to t	CA Amount	No. 3, No. 4; SING RECOR Kind of shoe	from from Cut and pulled from Description Description Albertand Pulled from	Perforated From To	Purpos
Size casing	Weight per foot	Threads per inch	Make Make Mudi	Amount Amount Call Amount Call Call	No. 3, No. 4, SING RECOR Kind of shoe	from from Cut and pulled from Description From Cut and pulled from Cut and	Perforated From To	Purpos Hundrid of Co. Horizon and Co.
Size casing	Weight per foot	Threads per inch	Make Make Mudi	Amount Amount Call Amount Call Call	No. 3, No. 4; SING RECOR Kind of shoe	from from Cut and pulled from Description From Cut and pulled from Cut and	Perforated From To	Purpos Hundrid of Ton House and the
Size casing	Weight per foot	Threads per inch	Make Make Mudi	Amount Amount OING AN ement	No. 3, No. 4, SING RECOR Kind of shoe	from from Cut and pulled from Desire Desire Period Cut Desire Desire Period Cut Desire	Perforated From To	Purpos Hundrid of Ton House and the
Size casing	Weight per foot Where se	Threads per inch	to , Make Make Mulpi Mudpi Aber sacks of co	Amount Amount OING AN PLUGS	No. 3. No. 4. SING RECOR Kind of shoe Kind of shoe	from from Cut and pulled from Description From Record Board Property Mud gravity FERS	Perforated From To	Purpos Purpos Purpos Purpos Official Surger Construction between cases of mud used

FOLD MARK

U. S. LAND OFFICE SOURCE SERVED NO AREA STATES SELECTION OF PRINCE TO PROSERVET

The state of the s						
	_	i				
						-
Form 9	-990	N (- MENC - MARKAN	AND THE PERSON	CONTROL MANAGEMENT	A DESTRUMENT OF THE SE	See all Company of the

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Зевуін	g Plug—	Mater	ial		Ler	gu	=	Depth	. 56h	
				brn	GS AP	D ADAP	TERS			
									- Marie Carlos Processor Commence	
£1.			19.6.8			Final Car	3			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
11.					+9.7		25 2		AND THE STREET OF THE STREET O	
					_					
Size Casing	Miche	1.05	Misselber 820	us of ceracivity	P)	phied cast	Mud gr	TAIFA.	American free rice	d used
			V	UDDING	VMD (EUNIUMIJ	MG BECO	CS		
	AND A SECURITY OF THE PARTY OF			TEXAMON		077 00		1643094-	-2 U.S. GOVERNMENT	PRINTING OFFICE
				A			GAS WELI	1		
with the	reasons	for the	work and its i	esults. If the	re were	any change	s made in the	e casing, state	dates of redrill fully, and if ar	v casing was
'sidetra I shots.	cked'' or If plugs	left in the or bride	he well, give i jes were put i	ts size and loca n to test for wa	ition. II iter, stat	the well ha	s been dynam aterial used, p	iited, give dat osition, and r	e, size, po sition esults of pumpi	and number ng or bailing.
46-	343		ý			#1. #1.		GAS ON		
េះខ្មានដ	ber fore	· ·	646.43	CHINA C TOURNESS		and ef shoe	Cut and pulle	Flore Store	11- 125-	mess food
Size	Weight	T.O.	sec. bes. to 558	Anke Ame			· 🚣	and the second second	or to by	
found		oe at							with 4	
eas i	bet,	from	5456 to						2500 gi	
1914 ,					Lows		Here -	of 40.5	o gravit	r oll
Chron	ign T	" Che	ke in S	MOUTS. IMAGE	TANI	WATER	SANDS			
No. 3, 1	com		to			No. 6,	, ironi		60	man ann ann an Taonach Managar an Taon
-				and the second decision of the second second de		No. 5	•	e e e i coltobra e e e e e e e	cV	granding of grand and the latest to the late
No. 2,		B! 9.	40	the Marines and					ρο	
No. 1. 1	'rom		î to		,	No. 4	•	ng ay ay ang magayar a sa ay ay ay sa mar manan at a	to	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				ANTE CORE		Seavers v de gas hy G)	R ZONES			
					., 19 _{5.0}		od drilling			. 19. s.y
$^{\prime} \Gamma h$	e sumi	iary on	this page i	s for the con	dition	of the wei	-			
Date	11-	3.5 - 1 3	5.				Titi			
					Sign	2 d				
_			4 : 1/2	all available				solver of the	ere vise as deserve	. 10 011070001
									d all work d	
Locatic	n JY	THE	선생 및 기계	Ane and	X HY 位	of 1	Line of		Elova Overler u	£ុមស ក៏ដូក្រី
									india deponentia de propriata de la compansión de la comp	
									98 810 117	
romis.	υλ <u>1</u> -2	4 6 6				Addre	18 - TV:::::::::::::::::::::::::::::::::::			64 +
.	4.4	2.409 (5.42)	and the second of the second	t. · · · · · · · · · · · · · · · · · · ·		7 4 4	. * * .*			
roo	ATE WE	rr cos	BECLUA	2257994277	and some	agerratus reales aris	The strate of the second	g gp gp ggs.org aggs.org	n de la companie notamente actività	
					()C	OM (s Gye	MEII	•
,										

FROM-	TO-		TOTAL FEE	T (VEB1		FORM	ATION	79- ₹008-51
· TARE ME			7. 1. 46		570 132 208 266		istics Te	1365 W	
22 mais	•	-45 (1	derriek	fle			pole glor		
	54.00-54 54.50-54 54.01-54 55.51-54	50'. 81'. 31'. 660'.	Acceptant Receptant Receptant Receptant				oye x çab	serface :	in 21 min-
	ut a .)ang	all	oll and g		rilling au
A 12	5460-51	560'.		m)	hou	ro vi	th gas to	surface	in 22
	rinde Pui.)	cover ed (110'	35 (Mar.)			as cut di	rilling
		, and the state of			11		公主资		
FROM -	TO		TOTAL FEE	L			EAST WE	VJJON	
		A service in a service			on R	ECOR			errore e promovindadore de collecti de Parlade de 1986 e 1991.
	*		Driller				***		Driller
alp Made Maria supergio			, Driller		LOYE				, Driller
Rock pres	ane, lbs. I	ger sq. in				-			
M gas wei	en. (8. 98	r 24 hou	.3		Galle	ns gas	oline per 1,000	eu. It. of ga	3
udsion; . 🗘 .	Eo water:	and <u>4</u>	% sediracut.				Gravity, 'Ed		
			f ^a		1				as dii;
ungsbigat i .	***		0-25		Í	fo pro-	ರ್ಲಯಗಳ ಪ ಹಣ್ ತು		
on speciel	naed from		;ee;		VIE3	feet	s, and from		tofeet
			!		1				to feet
			i		ts vs			an canal and a sign of a subsequent memory of the sign of the second control of the sign o	ng popularing and the state of

				*	1		-		West of Charles to English to the American
6526	Shell used	Exp	ровь вара	Qua	n (1/5)	Bate	Depote strat	1	dened out
erkove			ì			CORE	3		
${ m Aap}{ m ters}-{ m M}\epsilon$	Loria)				į		வள்ளை இரு நெறு இன்னை இன்னை இரு		
eaving plug-	ATAT STORET THE			3.3423.6	केंद्र वार		~ m m	EDME PRO 1777	

j J	Form 9-331 b (April 1952)									
	100									
			1 2 2	•						
1										

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

In	dia	n Ag	enc	r	33/0	Ya	12		
				A 1	Tr	16	al		
		Ç.				() 			
ΔI	lott	-			11	3000			٠.

	KI MOIICES	AND REP	ORTS ON WE	LLO
OTICE OF INTENTION TO DR	RILL	SUBSEQUENT I	REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO CH	ANGE PLANS	SUBSEQUENT I	REPORT OF SHOOTING OR AC	IDIZING
OTICE OF INTENTION TO TES	ST WATER SHUT-OFF	SUBSEQUENT I	REPORT OF ALTERING CASING	NEDALD X
IOTICE OF INTENTION TO RE			REPORT OF REDRILLING OR	REPAIR
OTICE OF INTENTION TO SHO	and the second s		REPORT OF ABANDONMENT RY WELL HISTORY	
NOTICE OF INTENTION TO AB		SUPPLEMENTA	AT WELL HISTORI	
	INDICATE ABOVE BY CHECK I	MARK NATURE OF REPORT,	NOTICE, OR OTHER DATA)	
			July	25, 19 56
avajo Tribe "	D#	4	Valy	25, 19 <u>58</u>
	. 1 1 1046 6	(N) 1:	607 ft. from E	1:
		. from Ine and	-	line or sec.
Et of Sec. 19		24-E	SLM	
(¼ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
ne th (Field)		ounty or Subdivision)	(State or	Territory)
	DE	TAILS OF WORK	₹	
he elevation of the de	epths to objective sands; sh ing points, and	ow sizes, weights, and leng d all other important prop	ths of proposed casings; indicoosed work)	
ulled tubing 4430' to 5442' acker set at 430' to 5442' egular 15% ac and ang 4-26-58	epths to objective sands; she ing points, and and perforate with 4 jet s 5157' and aci	ow sizes, weights, and leng d all other important property and 5-1/2" cas whots per foo dized all pe	ths of proposed casings; indicated work) ing from 5410 t. Ran tubin rforations (5) 3 stages with	' to 5422' ar g to 5342' wi 410' to 5422' 7500 gallons
ulled tubing 4430' to 5442' acker set at 430' to 5442' egular 15% ac and ang 4-26-58	epths to objective sands; shing points, and and perforate with 4 jet s 5157' and aci	ow sizes, weights, and leng d all other important property and 5-1/2" cas whots per foo dized all pe	ths of proposed casings; indicated work) ing from 5410 t. Ran tubin rforations (5) 3 stages with	' to 5422' ar g to 5342' wi 410' to 5422' 7500 gallons
ulled tubing 430' to 5442' acker set at 430' to 5442' egular 15% ac nding 4-26-58	epths to objective sands; shing points, and and perforate with 4 jet s 5157' and aci	ow sizes, weights, and leng d all other important property and 5-1/2" cas whots per foo dized all pe	ths of proposed casings; indicated work) ing from 5410 t. Ran tubin rforations (5) 3 stages with	' to 5422' ar g to 5342' wi 410' to 5422' 7500 gallons
ulled tubing a 430' to 5442' acker set at 430' to 5442' egular 15% ac ading 4-26-58 ravity 38.40	epths to objective sands; she ing points, and and perforate with 4 jets 5157' and aci and 5456' tid in 3 stage, flowed at t	ow sizes, weights, and leng d all other important property shots per food dized all per do 5516') in es using 1000 the rate of 4	ths of proposed casings; indicated work) ing from 5410 t. Ran tubin rforations (5) 3 stages with	to 5422' arg to 5342' will to 5422' 7500 gallons oil per 24 h
ulled tubing 430' to 5442' acker set at 430' to 5442' egular 15% ac adding 4-26-58 ravity 38.48	epths to objective sands; she ing points, and and perforate with 4 jets 5157' and aci and 5456' tid in 3 stage, flowed at t	ow sizes, weights, and leng d all other important property shots per food dized all per do 5516') in es using 1000 the rate of 4	ing from 5410 t. Ran tubin rforations (5 3 stages with gallons fix-62 barrels of	to 5422' arg to 5342' will to 5422' 7500 gallons oil per 24 h
ulled tubing (430' to 5442' acker set at 6430' to 5442' regular 15% ac ending 4-26-58 arevity 38.4°	epths to objective sands; she ing points, and and perforate with 4 jet s 5157' and aci and 5456' tid in 3 stage, flowed at to of work must receive approxas Company	ow sizes, weights, and leng d all other important property shots per food dized all per do 5516') in es using 1000 the rate of 4	ing from 5410 t. Ran tubin rforations (5 3 stages with gallons fix-62 barrels of	to 5422' arg to 5342' will to 5422' 7500 gallons oil per 24 h
ulled tubing 430' to 5442' acker set at 430' to 5442' egular 15% ac adding 4-26-58 ravity 38.40	epths to objective sands; she ing points, and and perforate with 4 jet s 5157' and aci and 5456' tid in 3 stage, flowed at to of work must receive approxas Company	ow sizes, weights, and leng dall other important properties of 5-1/2" cas shots per food dized all period of 516') in a using 1000 the rate of 4 wal in writing by the Geological street in writing street in writing by the Geological street in writing street in writ	ing from 5410 t. Ran tubin rforations (5 3 stages with gallons fix-62 barrels of	to 5422' arg to 5342' will to 5422' 7500 gallons oil per 24 h

W

	Fori (A)	n 9-8 pril 19	31 b 52)	
				•
-				
			i.	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian	Agenc	y		<u>-</u>	
Allotte					N.Y.
Lease I	1	149	-IN		

M-K

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	 SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	 SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	 SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	 SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	 SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.	 SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Installation of pumping equipment X
[편집] 전 및 수 있는 다시다. 이번 모든 사람이 되었다. 그 전 [

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Neva.	e Tribe P	,						Octob	er 23,		19.58
Well N	Jo	is	located	1945	ft. from	[N] line	and	ft. from	E line o	of sec.	19
ne} (f Souther	19		40-	9	24-E		800	-f		
Aneti	(14 Sec. and Sec. N	To.)		(Twp.)		Range)	(1)	feridian)	Utala		
Series and the series	(Field)				(County or 8	Subdivision)		(8	tate or Territor	y)	

The elevation of the derrick floor above sea level is 4505... ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Installed pumping equipment and communed pumping well 8-14-58. Pumped 98 barrels of 42* gravity oil during 24 hour test ending 8-29-58, using 1-1/4" I 16* pump, 74" stroke, 14 strokes per minute.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Compa	ny	G SEASON		 		
Addres	s Be				DIN	
	. Ye	radus bos.	New Marison	Bv /	FH.	rgru_
				Title	bist, Su	//
				1100		/

U. S. GOVERNMENT PRINTING OFFICE

16-8437b-8

							7.24	1))
Form 9-331 (May 1963)	DEDART	NITED STATENT OF TH		(Other Instruction of	ATE*	Form appi Budget Bu	reau No. 42-R1	
		· ·		Off verse side)	"	_		10.
		EOLOGICAL S			— 6.	I-149-IN		ME
	INDRY NOTI his form for propose use "APPLICA"			ON WELLS ack to a different reservoir. oposals.)		Navajo		
OIL GAS WELL WELL	L OTHER				7.	Aneth Un		
2. NAME OF OPERATOR	1				8.	FARM OR LEASE	NAME	
TEXACO Inc						7 1 1 1 1 m	<u> 295</u>	
3. ADDRESS OF OPERA		37 16	'071	103	9.	WBLL NO.	0.3	
•	Farmington					H219	0 0	
4. LOCATION OF WELL See also space 17		early and in accorda	ance with any	State requirements.*	10	. FIELD AND POOL	, OR WILDCAT	
At surface						Aneth		
						SURVEY OR A		
1945' from	n North li	ne and 60	7º from	East line	- I -	9, T40S,		M
14. PERMIT NO.		15. ELEVATIONS (SI	-	RT, GR, etc.)		COUNTY OF PAR		
43-039-16	121	4595	DF		၂၁	an Juan	Utah	1
16.	Check Appropriate the contract of the contract		Indicate N	ature of Notice, Report,		REPORT OF		
TEST WATER SHU	r-off P	ULL OR ALTER CASIN	7G	WATER SHUT-OFF		REPAIRIN	G WELL	
FRACTURE TREAT	М	ULTIPLE COMPLETE		FRACTURE TREATMENT	- 4	Saga ALTERING	CASING	
SHOOT OR ACIDIZE		BANDON*		SHOOTING OR ACIDIZING	إ≘لـــــــــــــا •	ABANDON	MENT*	
REPAIR WELL	c	HANGE PLANS		(Other) (Norm: Report Po	esults of r	nultiple completi	on on Well	
(Other)		· · · · · · · · · · · · · · · · · · ·		Completion or Re	completion	n Report and Log	form.)	
proposed work, nent to this work	If well is direction	nally drilled, give s	ubsurface locat	details, and give pertinent of lone and measured and true v	rertical Ge	pths for all mar	kers and sones p	any erti-
perforation NE-HCL action injection vacuum.	ons 5410' id, 15,000 phthalene. rate of 8 Pulled paced 76 barr	to 5516° gallons freating barrels; ker. On 600 gels of 41°	in throof NE to g 2000 per min 24 hour o gravi	t packer at 539 ee stages with reated water ar psi to 2250 psi ute. Instant s test ending 11 ty oil and 11 b trokes per minu	5500 nd 750 L with shut- L:00 parrel	gallons pounds an aver in press AM, 12/26 ls of by	of of rage ire, 5/66	

tilmatus kol practices of sections of the color of the co specific instructions. District Superintendent 18. I hereby certify that the foregoing is true and correct /23/67 Take or design of the first of អាចដែល រ សាធា បាន ១០ (This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY: TITLE Senal, area

Form 9-331 (May 1963)	ITED STATES PARTMENT OF THE INTERI	SUBMIT IN The JICATE* (Other instructions on re-	Form approved. Budget Bureau No. 42-R1424. LEASE DESIGNATION AND SERIAL NO.
DEF	GEOLOGICAL SURVEY	OTT verse side,	I-149-IND-8836
SUNDRY	NOTICES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Do not use this form for	or proposals to drill or to deepen or plug be APPLICATION FOR PERMIT—" for such pr	ack to a different reservoir.	
Ose 2	TFEMORITON FOR TEAMET		7. UNIT AGREEMENT NAME
OIL GAS O	THER		Aneth Unit
2. NAME OF OPERATOR	LIKEN		8. FARM OR LEASE NAME
TEXACO Inc.			
3. ADDRESS OF OPERATOR			9. WELL NO.
P. O. Box 81	O. Farmington, New Me	kteo 87401	H219
4. LOCATION OF WELL (Report lo See also space 17 below.)	ocation clearly and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT
At surface			11. SEC., T., R., M., OR BLK. AND
10451 from	North line and 607' f	rom Kast Line	SURVEY OR AREA
1347 *** ·	The state of the s		19,40.s,24-E,SLM
14. PERMIT NO.	15. ELEVATIONS (Show whether DF,	RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	4595' DF		San Avan Utah
16. Ch	eck Appropriate Box To Indicate N	lature of Notice Report or C	
			UENT REPORT OF:
NOTICE	OF INTENTION TO:	SUBSEQ	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING ABANDONMENT*
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	
REPAIR WELL (Other)	CHANGE PLANS LETED OPERATIONS (Clearly State all pertinent		of multiple completion on Well letion Report and Log form.)
proposed work. If well is nent to this work.)* T. D. 5585	s directionally drilled, give subsurface local	cons and measured and true vertice	at depths tot an markets and outs pour
1. D. 2202.	kp 2021		그 그 그 수 있는 사람들이 되었다.
Proposed Reme	edial work is for the	purpose of conver	ting well to water
injection.	rocedure will be as f	Collows:	
5538'-44' with three stages, gal. 28% NE H	tubing. Perforate 5 th 2 jets per ft. Aci using temporary plus ICL acid. Run plastic et packer at 5350'. I	dize all perf (54 gging agent, with coated tubing wi	a total of 10,000 th injection
		APPROVED BY	nivisian at
	. 121	OIL & GAS CO	
1	7/6/2		
1/2,0	3/	7-19	ンフノ () () () () () () () () () (
4) *	LENE	DATE	amindummining the state of the
	37-16121 SENE	DATE 7-19 BY C/3 Fee	
•			The state of the s
		U	
18. I hereby certify that the fo	2 2 -		
SIGNED	TITLE D	strict Superinter	ident ^{DATE} 7/14/71
(This space for Federal or			
(This space for redefat of		•	10 4 7 2 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
APPROVED BY	TITLE		DATE

*See Instructions on Reverse Side

## 5520. Ab ## Baker Mod perfs 5410- ## wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush lst 3rd 4th Continued points Signed Continued points Signed	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal after 3rd. collows: Volume 2000 1500 2500 4000 4000 6000 8000 Page 2 The foregoing is true and collows: ral or State office use)	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900	3/0" ort in the part of the part with the stage in the st	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj. ter 2nd Treat
## 5520. Ab ## Baker Mod perfs 5410- ## wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush lst 3rd 4th Continued points Signed Continued points Signed	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal after 3rd. cllows: Volume 2000 1500 2500 4000 4000 6000 8000 page 2 The foregoing is true and collows:	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL . salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900 3300 3200 2950	3/0" ort in the part of the part with the stage in the st	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj. ter 2nd Treat
## 5520. Ab ## Baker Mod perfs 5410- ## in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush lst 3rd 4th Continued F 8. I hereby certify that	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500 4000 4000 6000 8000	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL . salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900 3300 3200 2950	3/0" ort in the part of the part with the stage in the st	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj. ter 2nd Treat
## 5520. Ab ## ## 5520. Ab ## ## ## ## ## ## ## ## ## ## ## ## ##	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500 4000 4000 6000 8000	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900	3/0" ort m t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000 2750 3200 3050	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj.
<pre>% 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush lst 3rd</pre>	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500 4000	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900	3/0" ort m t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000 2750 3200 3050	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj.
<pre>% 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush lst</pre>	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500 4000	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL . salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900	3/0" ort m t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000 2750 3200 3050	be landed 6 536 20,000 gal. NE e, 500 gal. after the first series of the first series	inj.
© 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th Flush	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500 4000	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL . salt plug afte TPA plug 2# rock Max. 3300 3500 3200 2900	3/0" ort E t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000 2750	be landed 6 536 20,000 gal. NE e, 500 gal. aft l. Jelled wtr. Avg. rate 3 bpm 2.5 bpm 2.5 bpm 2.5 bpm	inj.
© 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd 4th	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL afte TPA plug 2# rock Max. 3300 3500 3200	t pkr w/tg & flush w/r lst stag salt/l ga Min 1250 3200 3000 2750	bg landed @ 536 20,000 gal. NE e, 500 gal. aft l. Jelled wtr. Avg. rate 3 bpm 2.5 bpm 2.5 bpm 2.5 bpm	inj.
<pre>% 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd</pre>	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL afte TPA plug 2# rock Max. 3300 3500 3200	t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000	bg landed @ 536 20,000 gal. NE e, 500 gal. aft l. jelled wtr. Avg. rate 3 bpm 2.5 bpm 2.5 bpm	inj.
<pre>% 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst 2nd 3rd</pre>	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500 2500	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL afte TPA plug 2# rock Max. 3300 3500 3200	t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200 3000	bg landed @ 536 20,000 gal. NE e, 500 gal. aft l. jelled wtr. Avg. rate 3 bpm 2.5 bpm 2.5 bpm	inj.
© 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid 1st 2nd	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. follows: Volume 2000 1500	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL afte TPA plug 2# rock Max. 3300 3500	t pkr w/tg & flush w/ r lst stag salt/l ga Min 1250 3200	bg landed @ 536 20,000 gal. NE e, 500 gal. aft l. jelled wtr. Avg. rate 3 bpm 2.5 bpm	inj.
© 5520. Ab w/Baker Mod perfs 5410- wtr in 4 st and 500 gal press. as f Acid lst	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. ollows: Volume	program. Ran 2- 6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock Max.	t pkr w/tg & flush w/ r lst stag salt/l ga Min	be for (inside) (bg landed @ 536 (20,000 gal. NE (e, 500 gal. aft (l. jelled wtr. Avg. rate 3 bpm	inj.
© 5520. Abw/Baker Modperfs 5410-wtr in 4 stand 500 galpress. as facid	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. collows: Volume	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL . salt plug afte TPA plug 2# rock	t pkr w/tg & flush w/ r lst stag salt/l ga	bg landed @ 536 20,000 gal. NE e, 500 gal. aft l. Jelled wtr.	inj.
© 5520. Ab w/Baker Mod perfs 5410-wtr in 4 st and 500 gal press. as f	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd. collows:	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock	t pkr w/tg & flush w/ r lst stag salt/l ga	bg landed @ 536 20,000 gal. NE e, 500 gal. aft	inj.
© 5520. Ab w/Baker Mod perfs 5410-wtr in 4 st and 500 gal	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd.	program. Ran 2-6-2/3 1/2" Lok Se gal. 28% NE-HCL salt plug afte TPA plug 2# rock	t pkr w/tg & flush w/ r lst stag salt/l ga	bg landed @ 536 20,000 gal. NE e, 500 gal. aft	inj.
© 5520. Abw/Baker Mod perfs 5410- wtr in 4 st and 500 gal	andoned perf. el A 2-3/8 x 5 5516 w/10,000 ages w/300 gal . after 3rd.	program. Ran 2- 6-2/3 1/2" Lok Se gal. 28% NE-HCL	<pre>5/0" ort E t pkr w/tg & flush w/ r lst stag</pre>	bg landed @ 536 20,000 gal. NE e. 500 gal. aft	inj.
<pre>% 5520. Ab w/Baker Mod perfs 5410-</pre>	andoned perf. el A 2-3/8 x 5 5516 w/10,000	program. Ran 2- 6-2/3 1/2" Lok Se gal. 28% NE-HCL	<pre>5/0" ort E t pkr w/tg & flush w/ r lst stag</pre>	bg landed @ 536 20,000 gal. NE e. 500 gal. aft	inj.
€ 5520. Ab w/Baker Mod	andoned perf. el A 2-3/8 x 5	program. Ran 2- - 1/3 1/2" Lok Se	3/0" ort E t pkr w/tg & flush w/	bg landed @ 536	51. A
€ 5520. Ab	andoned perf.	program. Ran 2-	3/0" ort E t pkr w/tg	bg landed @ 536	55 . A
A CCOA AL	andoned sout	nnormam Ban 2-	K/O" OPU B	ing to triprine!	C UZ
TROTE LTOSE	ero 🕾 main. Na	in comment of h	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
E - 3 - 03 4	A O CETE DO	n cend numn to h	54U. Kera	n peri. Run æ i	LOCAD T
and another section	TT TO THE CALL	mpted to perf. 5	504-06 55	30-34 5538-44	but
nent to this work.) *					
DESCRIBE PROPOSED OR	COMPLETED OPERATIONS (Clearwell is directionally drilled.	arly state all pertinent details, an give subsurface locations and me	d give pertinent dat asured and true ver	es, including estimated date of tical depths for all markers a	t starting ar nd zones pert
(Other)			Completion or Recor	npietion Report and Log form.	<u>, </u>
REPAIR WELL	CHANGE PLANS	i (Oth	/Monny Donout modil	to water inj. lts of multiple completion on	Well
SHOOT OR ACIDIZE	ABANDON*	 -	TING OR ACIDIZING	ABANDONMENT*	
TEST WATER SHUT-OF	MULTIPLE COM		TURE TREATMENT	ALTERING CASI	NG
mean wand arum an	PULL OR ALTE	R CASING WATE	R SHUT-OFF	REPAIRING WEL	T.
N	OTICE OF INTENTION TO:		SUBS	EQUENT REPORT OF:	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	Check Appropriate B	lox To Indicate Nature of N	lotice, Report, or	Other Data	
		95 DF		San Juan	<u>n ran</u>
PERMIT NO.				Can Tuen	Utah
	1 15 DE PAYAMY	ONS (Show whether DF, RT, GR, etc.)		19-40S-24E-S 12. COUNTY OR PARISH 1	LM 3. STATE
**************************************	are mises made at a			47 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	* 16
1945 f/N	o. and 607 f/E			SURVEY OR AREA	
At surface	• •			11. SEC., A., R., M., OR BLK.	AND
LOCATION OF WELL (Re See also space 17 below	port location clearly and in a	w Mexico 87401 accordance with any State require	ements.*	10. FIELD AND POOL, OR W	ILDCAT
4	Danus notan Ma	w Mexico 87401		H-219	
TEXACO In	cProd. Dept.	-Rocky Mtns.		9. WELL NO.	
NAME OF OPERATOR		• **		G. FARM OR HEADE MARKE	
WELL GAS WELL	OTHER			Aneth Unit	
				7. UNIT AGREEMENT NAME	1 · · · · · · · · · · · · · · · · · · ·
	orm for proposals to drill or Use "APPLICATION FOR PI	to deepen or plug back to a diff ERMIT—" for such proposals.)	erent reservoir.	Neve to	<u> </u>
(Do not use this fo		D REPORTS ON WEL	LS		, ·-
SUND (Do not use this for	RY NOTICES AN	DEPONTS ON WEL	1.0	1	* TIPIDE ******
SUNE (Do not use this fo	GEOLOGIC ORY NOTICES ANI		1.0	1-149-IND-88 6. IF INDIAN, ALLOTTER OF	36
SUNE	GEOLOGIC	THE INTERIOR verse s	ide)	5. LEASE DESIGNATION AND	SERIAL NO.
SUNE	GEOLOGIC	THE INTERIOR Verse S		5. LEASE DESIGNATION AND	SERIAL NO

hhb-GLE-WLW-Superior Cortez SLC Farm

Page Two

Acid	Volume	Max.	Min.	Avg. rate
Plug 1st 2nd 3rd	300 500 500	3300 3200 2800	3200 3000 2600	2.5 bpm 2.5 bpm' 2.5 bpm
ISIP 2300 pa	si, 10 min. SI 190	00 psi. Pla	ced well or	n injection
10-5-71. I	nj. rate 550 BWPI	D @ 1960 psi	10-12-71.	Successful
NRTWO.	,			

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING **ROOM 4241 STATE OFFICE BUILDING** SALT LAKE CITY, UTAH 84114

FORM NO. DOGM-UIC-1

(801) 533-5771

Cortez, Colora, NDIVIDUAL PARTNERSHIP OR ADMINISTRATIVE APPROVED INTO THE PARETH	nc. x EE	CAUS	E NO	
Cortez. Colora (NDIVIDUAL PARTNERSHIP OR ADMINISTRATIVE APPROV NJECT FLUID INTO THE PARETH				
NDIVIDUALPARTNERSHIP_ OR ADMINISTRATIVE APPROV NJECT FLUID INTO THE PANEATH	do zip <u>8132</u>			
OR ADMINISTRATIVE APPROVINGENT FLUID INTO THE PARENT	V V	2152064	ED RECOVERY IN	J. WELL
NJECT FLUID INTO THE PANEATH	CORPORTATION XX	DISPOSA	r Merr	
^ 1	UNIT H219 WE	_		
Comes now the applic	ant and shows the Div	APPLICATION vision the following	a :	
 That Rule 1-5 (b) (operations. That the applicant of the applican	6 authorizes adminis	trative approval of	enhanced receve	ry injections or disposal
lecse Neme Aneth Unit	Well No.	Sield	eth Com	My San Juan
Location of Enhanced Recovery	<u> </u>	<u>. </u>	ie cir	San Ouan
injection or Disposal Well <u>145E-1/4</u> New Well To Be Drilled	Old Well To Be Conv		<u>405</u>	Rgo. 24E
Yes D NeXX		No X	Casing Test Yes No	
Pepth-Base Lowest Known 930'	Does Injection Zone (Oil-Gas-Fresh Water	Contain Within 15 Mile YES	<u> </u>	State What Oil & Gas
ocation of Aneth Unit I njection Source(s) Wells & S	roducing San Juan		esert Cree	k & Ismay
Peologic Name of Paradox	DESERTCREEK	Depth of Injection (Interval 5410)	n 5516	
. Top of the Perforated Interval: 54	10 b. Bose of Fresh	Wester:930' C. H	ntervening Thickness (e minus b) 4480 '
the intervening thickness sufficient vithout additional data?	to show fresh water will b	e protocted (YE) NO		
ithology of Intervening Zenes Sar	dstone, lime	stone & anh	ydrite w/ir	itermittent
njection Rates and Pressures	shale l	avers	2,000	
	Maximum		() F.O.O.	/ D PS1
he Names and Addresses of These To	Whom Copies of This Asse	lication and Attachmen	_,	
The Navajo Tri				
Box 146				
Window Rock, A	rizona 86515			
nte of Colorado		ahii 6	? man	≤ Field Sur
uniy of Montezuma		<u> </u>	Applicant	=
Before me, the undersigned authorized to me to be the person whose no	rity, on this day personally	appearedAlv	vin R. Marx	

Netary Public In and for . 728 N. Beech, Cortez, Co.

- 1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
 - 2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
- 3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
- 4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
 - 5. Attach Electric or Radioactivity Log of Subject well (if released).
- 6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
- 8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
- 9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
- 10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
- 11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
- 12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRI	NG SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	95/8"	1190'	1000	CIRC.	
Intermediate					
Production	51/2"	5573'	500	NOT AVAILABLE	
Tubing	23/8"	5276	+	Type - Depth of	Tubing Pocker
Total Depth 5585	Geologic Name - Inj DESERT CR	Zone Depti	n - Top of Inj. Int		Base of Inj. Interval 5516

STRFACE CASING 1190	TUBING PACKER	TRODECTION CASING SS73
SURFACE FAC	<u> </u>	
SKETCH - SUB-SURFACE FACILITY S S S S S S S S S S S S S S S S S S		

	-	-
(To be filed within 30 days after drilling is completed) I- 149	IND-8	383 <i>C</i>
SERVICE OF MATHRAL BECOMBEE AND ENERGY	00	UNTY

DEPARTMENT OF NATURAL RESOURCES AND ENERGY DIVISION OF OIL, GAS, AND MINING

	A	n r			\	•			
								•	
,	Ш			Ц	Ц	Ц			
	Ш	_		Ш		Ц			
	_		L	Ш	Ш		L		
	_	L	ļ.,		Ш			Щ	
ļ		Ψ.	L		Ш	Ш	L	ليا	

Room 4241 State Office Building Solt Lake City, Utah 84114 COUNTY San SEC TWP. COMPANY OPERATING Texaco Inc TWP. 40S RGE. OFFICE ADDRESS TOWN ___Cortez __ STATE ZIP __Colo_ FARM NAME Anoth Unit WELL NO. H219 DRILLING STARTED 1-9-, 1956 DRILLING FINISHED 8-19-19-56 DATE OF PRIST PRODUCTION <u>£31-56</u> COMPLETED <u>8-26-56</u> WELL LOCATED __ N SE N NE N 1945 FT. FROM NOF WSEC. & 607 FT. FROM WE'CH WSEC. ELEVATION DERRICK PLOOR 4595 GROUND 4584

CATION EXCEPTION	Order No.	. Penalty
Comingled	Order No.	
Multiple Zone	Order No.	
Single Zone DESERTCREEK	Order No. N/A	
TYPE COMPLETION .		

AT AT ALC TANK

OH OH OND ACHES								
Name	From	10	Neme	Frem	To.			
Name DESERT CREEK	5410	5516			<u> </u>			
· · · · · · · · · · · · · · · · · · ·								
= /		CASING I	L CEMENT					

Cooling Set			Cog. Tool	Coment			
Size	Wgt	Grado	Feet	Pol	Sex	Fillup	Top
95/8	36	H-46	1190	NA	1000	NA	CIRC.
51/2	14815.5		5573	NA	500	NA	NOTAVAILABLE
							-
``				<u> </u>			 5585

COMPLETION & TEST DATA BY PRODUCING FORMATIC
COMMISSION & 1831 DATE BY PECULICIBLE PORTAL

	•	z	•
FORMATION	Desert Creek	Ismay	DESERTCRESH
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Ges; Dry; Inj. Well)	011_	:	10-5-71 INSECTION
INT. COMP GROSS	5456-5516		5410-5516
MIERVALS	5A10-22,5430- 42		
ACIDIZED?	25006AL		10000 2840 HCL
•			

NO

INITIAL TEST DATA

PRACTURE TREATED?


Date	8-31-56		
Oil. bbl./ day	215		
Oil Gravity	40.8		
Gas. Cu. Ft./day	N/A O	C#	æ
Ges-Oil Ratio Cv. Pt./Sbi.	N/A		
Water-Bbl./day	0		
Pumping or Flowing	FLOWING		
CHOKE SIZE	1"		
FLOW TUBING PRESSURE	N/A		

icard of the formations drilled through, and partinent remarks are presented on the reverse.

I the minimum below that while	many around the state that the mall around to been account	
- Area arittions. Seema cast and a	sworn upon eath, state that this well record is true, correct	COLOR SOUTHWEST
At any and a second and a second and a second as a second as	a mand da fabra trans all militario i Andria i i Att. Att. II	-
according to the seconds of this office	e and to the best of my knowledge and belief.	

1 202 ECE 04017	Mana and Hills of representative	Field Supt.
February -303-303-6401/	sum of many	riela supc.
State of Colorado	Name and title of representative	of company

County of Montezuma 16th day of December My commission expires 10/25/87 for S. Rey La 728 N. Beech, Cortez, Co. 81321



				FORM 5-45 10 78
TES		STRUCTIONS CANCELS LE		BY
		ERMANENT ROL	JTINE ☐ TEMPORARY	and the second of the second o
ger en				The district of the control of the c
			(LOCATION)	19
			Subject: Water	
			Navaj	0 Hauter
Aneth 1	Unit 4415			
Location	1-5E/A-SE/A	. Soc 15 . T.	40s R34F	
~	_ 1	-17-59		
Dany				
<u> </u>	· Novajo A	g witer		<u>'i</u>
Temp-	67° E			- Annah - Anna
	8.7			A consist of
Total	OISSOLIED SOL	11da - 257	3 opm	
	- •			-
5,0-	-1600m	00	= = 130 00m	_
2102	7 ' \	1100	3 - 150 ppm	
~ ~ .	- 10pm	HO	3 - 156 ppm	
11/9	- 98 bbw.	207	1 544 ppm	
Nat	- 76 ppm		- 757 ppm	• •
	\ '		l I , ;	
Anoth	Unit GAZZ		-	• .
	n- 5W/4-SI	= 1/4 Sec 2=	JACO POAT	
Sample	D-20 1 10 5	·^	x, 1709,19071	
\sim	• • • • •	~		•
Nobth-	Navaro Ha	cuter		
Zemi	7-6JOE	·	· · · · · · · · · · · · · · · · · · ·	
Ph-	9.2			· •
70 tal (1/2-bourbario	C685 - cp	OOM	
		_		
S 0-	170000	CW =	B26	
~ , , , , , , , , , , , , , , , , , , ,	1 / ppm	1,00-	2 Sobm	
The m	10 bbw	Has	- Ald ppm	
<u> </u>	2 ppm	<u> </u>	- 9620w	•
Nig -	91500m	C/	- 271 00m	
				,
kana e uu				
\$ Note.	: those numb	217.1.2000 :	Mana I Ima	Drong F. An-
	-In the Denve			17KH10 F(JU)
f letter requires	reply prepare in triplicat	e, for-	COX 2100	
varding original	and duplicate, and retain		ver, Ob	
Apple Services 1 To 1			& 040 (BA	
a.	AUDDECCER-1100	ravorco cido ta ro	oliv Roturn original Pota	n duntionta



NL Treating Chemicals/NL Industries, Inc.

							SHEE	TNUMBE	R
								<u> </u>	
COMPANY	0 - 0 D - D						DATE	PRIL	100
TEXACO, IN	CORPORAT			COUNTY	OR PARISH		STAT		- 70
ANETH				SA	AUT NA	.ν	1	TAH	
LEASE OR UNIT		LISI NAME (WATER S	SOURCE (FC	RMATION)			
LI ANETH	IN	JECTION	N WATER						
DEPTH. FT. BHT. F	PLAN-		TEMP, F	WATER.	EBL/DAY	OIL, BBL 'DAY	GAS.	MMCF/D	AY
DATE SAMPLED	TYPE OF WATE			1					
G AFRIL 1982	T PRODUCES	=	SUPPLY		X WATE	AFLCCD	SAL	T WATER	· <u>2 17 0</u>
		, W.A.	TER ANALYSIS	PATTE			r,		
	(RUM		CHI JOBN 23 HOL			UNIT)			
100 Na 20 15	10		· · · · · · · · · · · · · · · · · · ·	 	5	10 1	5		1-15
7					' ' _			' !	
100 Ca	+ + + + + + +	+++		 	+11	+			103-
				' ' '/'	' '		1 1 1	'	
F-100 Mg++	1 6	1 1 1		1-121-1		+ + + + + + + + + + + + + + + + + + + +		s	104 <u>-1</u>
		.1 1 1					1 1 1	1	
0.1 Fe ***-				/ 	1,,		1 1 1	1 0	03 (
	d					·			
DISSOLVED SOLIDS					DISSOLVE	D GASES			
<u></u>						•.			
CATIONS		e/ *	<u>ma /1*</u>			ulfide,H2S	337.5		
Total Hardness		92.0				xide, CO₂		<u>2</u> mg/	
Calcium, Co		24.0	<u>5360</u> 1519		Dxygen, O:	•	1.0	<u>)</u> mg/	' "
Mognesium, Mg t. Liron (Total) Fe		0.5	10.		ואסנוראו	PROPERTIES			
Barium, Ba**			1.		III SICAL	T NOT ENTILS			
Foodium, No (colc.)	10	35.1	23807		Н		6.6	5	
					Eh (Redox	Potential)			
ANIONS				S	pecific Gr		N.D	<u>. </u>	
-Chloride, Cl	13	60.3	45000.		Turbidity, .		<u> </u>		
Sulfore, SO4"	•	24.5	1175	 - '	Total Diss	olved Solids (calc.)	81385	.3 mg	/! *
Carbonate, COs [±]		0.0	0.		Stobility In		+0.3		
=Bicarbonate, HCOs		4.0	244			€ <u>140</u> F	+1.3		4
Hydroxyl, OH = Sulfide, S=	<u> </u>	<u>0.0</u> 18.8	0. 3		_05U4	bility @ <u>77</u> F		Me/	
2011.06, 2-		10.0			Var Casa	€ <u>176</u> F Possible (calc.)		8_ Me/ 5_ Me/	
rational desiration and the second se						Possible (calc.)		//C/ O mg/	
Li	•		***			ydrocorbons	d. N		n(Vol/
ATSUSPENDED SOLIDS (QUA -	LITATIVE)								
Iron Sulfide 🔲 🔝 Iron Ox	ide 🗆 Co	Icium Corb	onate 🗍 💢 A	acid Inso	luble 🗀	·NOTE: me/lo	1\ pw. puc	ore co	നത്തി
FREMARKS AND RECOMME			-			used interchan			
WATER SHOWS A		7755/601	SCALTAG	PRI	MARTIN	respectively.	Where ep	m and 1	ppm ar
CALCIUM CARBO		, - 44101				used, correctio		ld be m	iode fo
	- • •			1.		specific gravit	у-		
			·	····	·.				
BIC ENGINEER		0157. NO.	ADDRESS			OFFICE PHONE	1	OME FH	
HARK BROTHERS		12 .	FARMING			505-325-57	5	05.32	5-48
	12		= · = · · • • · · · · · · · · · · · · ·	V ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		57 se			

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Junes	Well No. and Um 7 H 219
	4E Sec. 19 API# 43-437-16121
New Well Conversion Disposal	Well Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners. and wells of available record	
Schematic Diagram	
Fracture Information	Lawrence
Pressure and Rate Control	
Adequate Geologic Information	
Fluid Source	Disettrek-Jone
Analysis of Injection Fluid	Yes No TDS 8/38
Analysis of Water in Formation to be injected into	Yes No TDS 8/38
` Known USDW in area	Money T Depth 930
Number of wells in area of rev	iew 10 Prod. 4 P&A 0
	Water O Inj. 6
Aquifer Exemption	Yes NA L
. Mechanical Integrity Test	Yes No
	DateType
Comments:	
Reviewed by:	

Utah Division of Oil, Gas, and Mining Casing - Bradenhead Test

Operator: TEXACO INC.

Field/Unit: GREATER ANETH

Well:

H-219

Township: 40S Range: 24E

API:

43-037-16121

Welltype: INJW Max Pressure: 2500

OLAVAN

Lease type: INDIAN

Surface Owner:

Sect:19

Last MIT Date: / /

Witness: F

Test Date: 2/6/87

CASING STRING

SIZE SET AT PRESSURE

OBSERVATIONS

Surface:

9 5/8

1190

Intermediate:

0

Production:

51/2

5573

Water

Other:

0

Tubing:

2 3/8

2350

Packer:

5276

Recommendations:

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Expires: March 31, 1993

5. Lease Designation and Serial No.

I-149-IND-8836

SUNDRY	NOTICES ANI	D REPORTS ON	WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

6. If Indian, Allottee or Tribe Name

USE APPLICATION FO	The Permit —" for such proposals	Navajo
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well Oil Gas X Other Injection	n well	Aneth Unit 8. Well Name and No.
2. Name of Operator Texaco Inc.		H219 9. API Well No.
3. Address and Telephone No. 3300 N. Butler, Farmington N.M.	i. 87401 (505)325-4397	4303716121 002 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1945 FNL & 607 FEL Section 19-T40S-R24E		Desert Creek and Ismay 11. County or Parish, State San Juan, Utah
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE	, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	ACTION
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice 3. Describe Proposed of Completed Operations (Clearly state a	Other	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) ate of starting any proposed work. If well is directionally drilled,

give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached procedure and wellbore diagrams for pertinent details. Tenative start date is June 1, 1991.

Accepted by the State of Utah Division of Oil, Gas and Elizing

Date 5-2

By: ALL

REGINVE

APR 3 0 1991

DIVISION OF OIL GAS & MINING

Signed Man Aller	Title Area Manager	Date 4-26-91
(This space for Federal or State office use) Federal Approval of this Approved by Action is Necessary Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Aneth Unit H219 Casing Squeeze Procedure

- 1.) MIRUPU. Install BOP w/ 2-3/8" pipe rams and blind rams.
- 2.) Pick up 2-3/8" workstring. TIH w/ open ended tubing to 3800'. Circulate annulus with 95 bbls <u>fresh</u> water. Close rams and pump down tubing with fresh water to establish a rate and pressure. Call the Farmington office with rate and pressure measurements.
- 3.) Open rams and spot 50 bbls of low water loss Class G cement from 3800' to 1700'. Pull out of hole at a rate of 41' per barrel of cement slurry pumped. Pull up to 1500' and reverse out excess cement.
- 4.) Load hole with fresh water and close pipe rams. Pump fresh water down tubing at a pressure not greater than 1200 psi. <u>Use</u> the hesitation method of squeeze cementing.

Note: Maximum surface pressure of 1200 psi. Obtain a standing squeeze pressure of 1200 psi. Hold 1200 psi for 1 hour. Shut in well overnight with 1200 psi on the casing. Do not displace more than 40 bbls of cement.

- 5.) TOH w/ tubing. TIH with 4-3/4" bit and 6 2-7/8" drill collars and drill out cement. Pressure test squeeze to 1000 psi. Call Farmington office if squeeze does not hold.
- 6.) Swab tubing and lower fluid level to 3300' and check for fluid entry into wellbore. If fluid level remains constant at 3300', drill out cement retainer at 5024' and clean out to PBTD of 5551'. Return well to injection service. Top perforation is at 5410'.


Note: Class G cement should be tested with Aneth Unit <u>fresh</u> make up water to determine thickening time and API fluid loss prior to treatment. CaCl should be added if needed to decrease thickening time to 3 hours.

Slurry weight - 15.3 lbs/gal
Water requirement - 5.64 gal/sx
Slurry volume - 1.23 Cu. Ft./sx
Fluid loss - 50 cc/30 min, 325 mesh @ 1000 psi

ALL CEMENT IS TO BE BATCH MIXED FOR 20 MINUTES.

Aneth Unit # H219

Current Completion



Casing Leak - 3395' - 3733'


Formation Tops:

Navajo	520'
Chinlee	1365'
DeChelly	2400'
Hermosa	4400'
Ismay	5225'
Desert Creek	5375'

5-1/2' 14# & 15.5# Casing Set @ 5573' in 8-3/4" hole Cemented w/ 500 sx.

Existing Perforations:

5410-20 5438-42 5456-5516



Cement Retainer @ 5024'

PBTD @ 5551'

TD @ 5585'

	i ò† Oil, Gas a OR CHΛNGE H					, . \		Routing:
				regarding this A if item is no		le.		1- Ler/GIL 2- DTS-D 75 3- VLC 4- RJF
⊐ Chan ⊐ Desi	ge of Opera gnation of	tor (well s Operator	sold)	□ Designat xxx Operator	ion of A Name Ch	lgent lange Only		5- RWM of 6- LCR fee
TO (ne	(TEX. w operator) (address)	ACO EXPLORA TEXACO E & 3300 NORTH FARMINGTON BRENT HELQ phone (505 account no	TION AND PROI P INC. BUTLER , NM 87401 UIST) 325-4397 . N 5700 (6		(former		FARMINGTON FRANK	BUTLER , NM 87401 > 325-4397
) (attach addi							
Name: Name: Name: Name:			API: API: API: API:	Entity Entity Entity Entity Entity Entity		SecTwp SecTwp SecTwp SecTwp	Rng Rng Rng Rng Rng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
l <u>ce</u> 1.	operator (A	-8-10) Sun Attach to t	dry or othe	5-28-911	• • [ved from <u>former</u>
_	(Rule R615- (Attach to	-8-10) Sund this form)	ry or other ·	<u>legal</u> docume	ntation	has been	received fr	om <u>new</u> operator
Let 3.	operating a	any wells :	merce has be in Utah. Is e number: #	company reg	if the gistered	new opera with the	tor above i state? (ye	is not currently es no) If
Lee4.	(attach Te comments s changes sho	lephone Do ection of	cumentation this form.	Form to th	is repor review o	rt). Make f Federal	e note of and Indi a	ing this change BLM status in n well operator
Har 5.	Changes have listed above	ve been ent ve. <i>(6-11-91</i>)	ered in the	Oil and Gas	Informat	ion System	m (Wang/IBM	1) for each well
for 6.	Cardex file	e has been	updated for	each well li	sted abov	ve.		
Fee 7.	Well file 1	labels have	been update	d for each we	ell liste	ed above.	will update wh	en lilingel
Lee 8.	Changes hav	ve been ind	luded on the		perator,	Address,		nt Changes" memo
fer 9.	A folder haplaced ther	as been set e for refe	up for the rence during	Operator Charouting and	ange fil	e, and a d ing of the	copy of thi original o	s page has been documents.

R CHANGE WORKSHEET (CONTINUED) Initia each item when completed. Write N/Aitem is not applicable.
Y REVIEH
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
VERIFICATION (Fee wells only)
. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. # K0290791-4 80,000-Ins. Co. of N. America. rec. 2-11-91.
. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19 #m157448 80,000-Ins. Co. of N. America.
E INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. $6-27-91$
ING
1. All attachments to this form have been microfilmed. Date: 15 1991.
NG
1. Copies of all attachments to this form have been filed in each well file.
 The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
IENTS
910/00/0 Bhm / Farming fon N.M Duane Spencer (505) 327-5344 will follow up & call ba
Aloloolo Bhm / Farming fon N.M Duen. Spencer (505) 327-5344 will follow up & Call ha 110607 Bhm / Farming fon - Approved 4-2-91 "lompeny Murger" Includes Aneth Unit and Ismay Flodine Unit. 910607 St. Lands approved 4-15-91 "Merger".
and Ismay Flodine Unit.
910/007 St. Lands approved 4-15-91 "Merges".
1/34-35


DATE: 05/02/91 WELLS ВΥ OPERATOR PAGE: COMPANY NAME FLD FIELD NAME TOWN RANGE SEC QTR API PROD WELL ENTITY WELL NAME ACCT SHIP NUMBER ZONE STATUS 5400 E230 14 NENW 4303716032 DSCR WIW 99990 ARROWHEAD #6 (ANETH B-114 NO980 TEXACO INC 365 GREATER ANETH \$400 E240 15 NWNE 43037.16088 PRDX: WIW 400 99990 & NAVAUO TRIBLE E-9 (ANETH \$400 E240 15 NESWL43037,16296 & IS-DC. WIW 99990 ... NAVAJO : TRIBAL . E-8 .. (ANETH& 16 NESW 4303716297 IS-DC WIW 99990 STATE THREE 23-16 (ANETH) S400 E240 NWNW 43037-15832-IS-DC-WIW 99990 STATE THREE 11-16 (ANETH S400 E240 16 SESW 4303730333 DSCR WIW 99990 ANETH F-416 S400 E240 SESE 4303720230 IS-DC WIW 99990 ANETH H-416 S400 E240 16 S400 E240 SENE 4303716312#IS-DC.WIW 99990 STATE THREE 42-16 (ANETH NWSE 4303730107 DSCR WIW 99990 ANETH G-316 NWNE 4303730344 DSCR WIW 99990 ANETH G-116 S400 E240 16 S400 E240 16 5400 E240 16 NENW 4303716285 PRDX WIW 99990 STATE THREE 21-16 (ANETH) NWSWL4303730094 DSCR WIW 99990 ANETH E-316 S400 E240 16 S400 E240 SENW 4303716286 PRDX WIW 99990 NAVAUO TRIBAL G-8 (ANETH) 17 SESE 43037.16326 PRDX WIW 99990 NAVAUO TRIBAL L-1 (ANETHE S400 E240 17 SENE 4303716313 PRDX WIW 99990 NAVAJO TRIBAL L-4 (ANETH S400 E240 17 S400 E240 17 NWSE 4303746103 PRDX MWIW MW 99990 NAVAUO TRIBAL 1-X-G (ANET NWNE 4303716089 PRDX WIW 99990 NAVAUD TRIBAL G-3 (ANETH S400 E240 17 SESWL4303716299 PRDX WIW 99990 NAVAUO TRIBAL G-6 (ANETH S400 E240 17 SENE 4303716120 PRDX WIW 99990 NAVAUO TRIBAL G-5 (ANETH, S400 E240 18 S400 E240 18 S400 E240 SENE 4303716287 PRDX WIW 99990 NAVAUO FEDERAL UNIT #114 (A) 18 NWSW\4303716063 PRDX WIW 99990 NAVAJO TRIBAL FED. #4 (ANNWSE 4303716104 PRDX WIW 99990 NAVAJO TRIBE G-4 (ANETH G S400 E240 18 18 S400 E240 NWNE 143037.16090 PRDX WIW 99990 NAVAJO TRIBE FED #2. (ANET. S400 E240 18 S400 E240 18 SESWL4303715083 PRDX WIW 99990 NAVAJO TRIBAL FED. UNIT # NWNW 2303715413 PRDX WIW 99990 ANETH UNIT E-118 (W. ISMY 5400 E240 18 NWNW 4303716280 PRDX WIW 99990 NAVAJO FED. UNIT B-1 (ANE S400 E240 19 SESEL4303716328 PRDX WIW 99990 NAVAUO TRIBE D-27 (ANETH) S400 E240 19 S400 E240 19 SENE -4303716.12.12 PRDX WIW 99990 NAVAUO TRIBE D-3 (ANETH H NWSE 43037 16309 PRDX WIW 99990 NAVAJO TRIBE D-25 (ANETH \$400 E240 19 NWNE 43037160912PRDX WIW 32 99990 NAVAUO TRIBE D-16 (ANETH S400 E240 S400 E240 19 SENWL4303716077 PRDX WIW WIW 99990 NAVAJO TRIBE D-26 (ANETH NWSWL43037.16064 PRDX WIW 99990 NAVAUD TRIBE D 28. (ANETH ... S400 E240 19 NWNW 4303716050 PRDX WIW 20 99990 NAVAUD TRIBE D-10 (ANETH) S400 E240 S400 E240 20 NWSWL4303716065EPRDX WIW WELL 99990 IN NAVAUOLTRIBERD 1178 (ANETHS SESELAGO3716329 PRDX WIW 999990 NAVAUOTRIBETD-13T(ANETH S400 E240 20 SENE 4303716314 PRDX WIW 99990 NAVAJO TRIBE L-2 (ANETH Ha \$400 E240 20 S400 E240 20 NWSELAGO3716105_PRDX_WIW 99990 NAVAUO TRIBE D 12 (ANETH NWNE 4303716092 PRDX WIW 99990 NAVAUO TRIBE L-5 (ANETH Go \$400 E240 20 SESW 43037.6300 PRDX WIW 99990 NAVAJO TRIBE D-20 (ANETH SENW 43037.6288 PRDX WIW 99990 NAVAJO TRIBE D-8 (ANETH F S400 E240 20 S400 E240 20 NWNEL 4303730335 DSCR WIW 99990 ANETH G 121X7 SESW 4303716084 PRDX WIW 99990 NAVAUD TRIBE D-21 (ANETH F SENW 4303716078 PRDX WIW 99990 NAVAUO TRIBE D-6 (ANETH F \$400 E240 21 S400 E240 21 \$400 E240 21 NWSW 4303716066 PRDX WIW 99990 NAVAUO TRIBE D-14 (ANETH ON NAVAUO TRIBE D-4 (ANETH ON NAVAUO TRIBE D-4 (ANETH E

S400 E240 21 S400 E240 21

S400 E240 21 NWSE 303730095 PRDX WIW 99990 ANETH G-321X



TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5



MAY 2 8 1991

Well name and number:	See Attached Listing	DIVISION OF OIL GAS & MINN
Field or Unit name:		
Well location: QQ section t	ownship range count	:у
Effective Date of Transfer: 6-1-91		
CURRENT OPERATOR		
Transfer approved by:		
Name R. S. Lane	CompanyTexaco Inc.	
Signature / Same	AddressP. O. Box 310)9
Title Attorney-in-Fact	Midland, TX	79702
Date	Phone (915) 688-4100)
	3300 North Butler Farmington, NM 87401 (505) 325-4397	
Transfer approved by:		? ;
NameR. S. Lane	Texaco Explor Company Production In	
	AddressP. O. Box 31	
TitleAttorney-in-Fact	Midland, TX	79702
Date	Phone (915) 688-410	0
Comments: Correspondence Address:	Texaco Exploration and Produ 3300 North Butler Farmington, NM 87401 (505) 325-4397	ction Inc.
(State use only) Transfer approved by Stal XA Approval Date 6-26-91	Title MTC	MANAGER

Texaco Exploration and Production Inc Midland Producing Division P O Box 3109 Midland TX 79702-3109

May 22, 1991

MAY 2 8 1991

DIVISION OF OIL GAS & MINING

Division of Oil, Gas, and Mining Attn: Ms. Lisha Romero 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,


R. S. Lane

Assistant Division Manager

RKH/KMM-CC

Attachments

DEPARTMENT OF NATURAL RESOURCES



DI	IVISION OF OIL, GAS, AND MIT	VING	5. LEASE DESIGNATION IND SERIAL RO
SUNDRY N (De not use this form for use "AP	NOTICES AND REPORTS (proposals to drill or to deepen or plug b PLICATION FOR PERMIT—" (or such pr	ON WELLS	6. IF INDIAN, ALLOTTER OR TRIBE NAM
OIL UAS		(NOCALIA)	7. UNIT AGREEMBNT NAME
NAME OF OPERATOR			S. FARM OR LEASE NAME
Texaco Explorati	ion and Production Inc.	DIEWEN	S. FARM OR LIAMS NAME
ADDRESS OF OPERATOR	D 00 00001	The state of the s	9. WELL NO.
LOCATION OF WELL (Report location space 17 below.) At surface	Denver, CO 80201 Action clearly and in accordance with any	State reddiremental 1991	10. FIELD AND FOOL, OR WILDCAT
		DIVISION OF	11. ASC., T., A., M., OR BLK. AND
		OIL GAS & MINING	AURYST OR ARSA
i. PERMIT NO.) 16. BLEVATIONS (Show whether or		12. COUNTY OR PARISM! 18. STATE
		, and describ	
i. Chec	k Appropriate Box To Indicate N	lature of Notice, Report, or	r Other Data
Nosics of	INTENTION TO:	4036	SQUENT ENFORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON®	SHOUTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Citner)	of Owner/Operator
(Other) Transfer of	Plugging Bond X ED OPERATIONS (Clearly state all pertinen	l ('ompletion or Reco	mpletion Report and Log (nem.)
responsibility and 1	Inc. has assigned all inc., 1991, Texaco Inc. Texaco Exploration and Prolability under its good and ission for proper plugging	is no longer the Ope oduction Inc.hereby and sufficient bond	erator of subject well. accepts operating or other security
_			
Former Operator:		New Operator:	
TEXACO INC.	1	Texaco Explor	ration and Production Inc
Sizzali Moll		~Signed:	W/Wow
Signed: Attorney/In-	Fact	Title: Div	(ision Manager
for Texaco 1		DIV.	1 / A
		Date: 3	11191
Date: 3/1/9/			
18. I hereby certify that the 199	TENTE IS true and correct		
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$		Division Manager	3/1/9/
SIGNED //			
(This space for Federal or S			
APPROVED BY	TITLE		DATE

Form 9 STA OF UTAH DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS AND MIN		6. Lease Designation and Serial Number
SUNDRY NOTICES AND REPORTS		7. Indian Allottee or Tribe Name
Do not use this form for proposals to drill new wells, deepen existing wells, or to r Use APPLICATION FOR PERMIT— for such proj		8. Unit or Communitization Agreement
1. Type of Well Gas Other (specify) Well Other (specify)		9. Well Name and Number
2. Name of Operator Texaco Exploration and Production Inc.	·	10. API Well Number
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325–4397	11. Field and Pool, or Wildcat
5. Location of Well Footage : QQ, Sec, T., R., M. : See Attached		: UTAH
12 CHECK APPROPRIATE BOXES TO INDICATE I		
NOTICE OF INTENT (Submit in Duplicate)		QUENT REPORT Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Transfer of Plugging Bond	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other Change of Date of Work Completion	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off Operator/Operator Name
Approximate Date Work Will Start	Date of Work Completion	
	Report results of Multiple Complet on WELL COMPLETION OR RECOMPLETION OF RECOMPLETION OF RESULTS OF THE PROPERTY OF THE PROPER	
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all per locations and measured and true vertical depths for all markers and zones per	tinent details, and give pertinent dates. tinent to this work.)	If well is directionally drilled, give subsurface
This submittal is for a change of operator The new operator, Texaco Exploration and Pr sponsibility and liability under its good a by the Department for proper plugging and s contact personnel, office addresses and pho	oduction Inc., hereby nd sufficient bond or urface restoration of	accepts operating re- other security accepted the attached wells. All
FORMER OPERATOR: TEXACO INC.		EXACO EXPLORATION AND RODUCTION INC.
SIGNED: Attorney-in-Fact	SIGNED: \overline{A}	Sylvision Manager
DATE:	DATE: _	
14. I hereby certify that the foregoing is true and correct		

(State Use Only)

Name & Signature

Title Asst. Div. Manager Date

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED						
Budget Bur	eau No.	10	013:			
Expires:						

Expires: March 31, 1993

5. Lease Designation and Serial No.

_	1	л	a	_	т	N	n	_	Ω	Ω	3	6	
	1	4	"	_	1	7.4	υ	_	0	o	J	o	

SUNDRY NOTICES AND REPORTS ON WELLS
this form for proposals to drill or to deepen or reentry to a different

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

Navajo

6. If Indian, Allottee or Tribe Name

	1 -
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well	Aneth Unit
Oil Gas Well Injection Well	8. Well Name and No.
2. Name of Operator	Н219
Texaco Exploration & Production Inc.	9. API Well No.
3. Address and Telephone No.	4303716121002
3300 N. Butler, Farmington N.M. 87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	Desert Creek & Ismay
1945' FNL & 607' FEL Sec. 19-T40S-R24E	11. County or Parish, State
SCC. 17-1403-R24L2	San Juan, Utah
CHECK APPROPRIATE ROY(s) TO INDICATE NATURE OF NOTICE REPOR	T OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF	ACTION
Notice of Intent XXSubsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back XXCasing Repair Altering Casing Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.)

2/13/92. MIRUSU. RU Dowell. Spotted 25 sx of Class 'G' cement from 3802' to 2742'. Reversed out at 2500'. Squeeze cmt using hesitation method. RIH w/ bit and tagged cmt at 3617'. Drilled cmt out to 3821'. Circ. hole clean. Casing would not pressure test. Spotted 41 sx of Class 'G' cmt from 3806' to 2080'. Squeezed casing leak using hesitation method. RIH w/ bit and tagged cmt at 2503'. Drilled out cmt. Pressure test casing. Didn't hold. RIH with Cmt Retainer. RDMOL. Waiting on engineer's evaluation.



DIVISION OF OIL GAS & MINING

hereby certify that the foregoing is true and correct igned	Title Area Manager	Date 6/23/92
This space for Federal or State office use)		N
pproved byonditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR DUDGE AND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

(June 1990)		LAND MANAGEMENT	5. Lease Designation and Serial No.
	•		
			I-149-IND-8836
	SUNDRY NOTICES	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
Do not use f	this form for proposals to d	rill or to deepen or reentry to a different reservoi	r.
	Use "APPLICATION FO	OR PERMIT—" for such proposals	Navajo
	SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Weil			Aneth Unit
Oil Well	Gas Well XXOther Injection	Well	8. Well Name and No.
2. Name of Operato			H219
Texaco F	xploration & Production	Inc.	9. API Well No.
3. Address and Tele	ephone No.		4303716121002
3300 N I	Butler, Farmington N.M.	87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well	(Footage, Sec., T., R., M., or Survey I	Description)	Desert Creek & Ismay
1045' FI	NL & 607' FEL		11. County or Parish, State
	T40S-R24E		
			San Juan, Utah
12. CH	ECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
	PE OF SUBMISSION	TYPE OF ACTIO	
- TVk	Notice of Intent	Abandonment	Change of Plans
لكلا	Notice of Intent	Recompletion	New Construction
	Subsequent Report	Plugging Back	Non-Routine Fracturing
<u> </u>	Subsequent Report	Xasing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
	Final Abandonnent Notice	Other	Dispose Water
			(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
		all pertinent details, and give pertinent dates, including estimated date of star	rting any proposed work. If well is directionally drilled

Texaco E. & P. Inc. request to repair casing on the subject well. Please see attached procedure and wellbore diagram for pertinent details. Work will start as soon as EPA gives approval.

Accepted by the State of Utah Division of Oil, Gas and Mining

Date: 10-20-92

By: For Kacood Only



OCT 1 5 1992

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct Signed	Title Area Manager	Date10/06/92
(This space for Federal or State office ase) Federal Approval of this Conditions of approval, if any: Action is Necessary	Title	Date
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly a or representations as to any matter within its jurisdiction.	nd willfully to make to any department or agency of the United States as	ny false, fictitious or fraudulent statements

ANETH UNIT H219 CASING REPAIR PROCEDURE

- 1. MIRUPU. NUBOP's. Pick up 2 3/8" workstring w/ bit and scraper. Drill out cement retainer @ 5024'. Clean out to 5551'. TOOH. TIH w/ casing brushes and work across packer setting areas. Lay down workstring.
- 2. TIH w/ 5 1/2" injection packer, 2 3/8" cement lined injection tubing, and packer type casing patch. Use 450' of 4" Flush joint casing as the scab liner between the casing patch packers.
- 3. Set the injection packer @ 5350'. Set the top casing patch packer @ 3350'. Set the bottom casing patch packer @ 3800'.
- 4. MIT the tubing/casing annulus. Put well back on injection service.

JLB

Aneth Unit H219 Proposed Configuration

2 3/8" Cement Lined Injection Tubing

9 5/8" 36# Casing Set @ 1190' Cemented w/ 1000 sxs. Cement Circ.

Packer Type Retrievable Casing Patch Top Packer @ 3350' w/ 4" FJ casing as a liner Bottom Packer @ 3800' 5 1/2" 14-15.5# Casing Set @ 5573' Cemented w/ 500 sxs. in 8 3/4" hole

Perforations:

5410'-20'

5438'-42'

5456'-5516'

Cement top @ 4025' (Est. w/50% excess)

PBTD @ 5551'

TD @ 5585'

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NOV | 7 **1994**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

140_TND_0026

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

	AND REPORTS ON WELLS	6 If Indian, Allottee or Tribe Name
Do not use this form for proposals to dr	ill or to deepen or reentry to a different se	SEMANING
Use "APPLICATION FO	R PERMIT—" for such proposals	Navajo Tribe
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		Aneth Unit
Oil Well Well X Other Injection	Vell	8. Well Name and No.
2. Name of Operator		H219
Texaco Exploration & Production	Inc.	9. API Well No.
3. Address and Telephone No.		4303716121
3300 N. Butler, Farmington N.M.	87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De		Desert Creek
1945' FNL & 607' FEL		11. County or Parish, State
SE/4, NE/4, Sec. 19, T40S, R24	E	
5E/4, 14E/4, 500. 12, 1405, 1621.		San Juan County, UT
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	ACTION
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. requests to install a full casing liner in the subject well. Please see attached procedure and wellbore diagram for pertinent details.

• This Sundry will supercede the Notice of Intent Sundry submitted 10/06/92.

Accepted by the Utah Division of Oil, Gas and Mining

FOR RECORD ONLY

4. I hereby certify that the foregoing is true and correct Signed	Title Area Manager	Date10/24/94
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ANETH UNIT H219 WORKOVER PROCEDURE August 23, 1994

- MIRUPU pick up 2-7/8" workstring. TIH W/ 4-3/4" bit and six 2-7/8" drill collars. Drill out cement retainer at 5024' and cleanout to 5547' PBTD. Run casing scraper and drift to PBTD.
- TIH W/ open ended tubing and spot sand from PBTD to 5405. Tag sand before tripping out of hole with tubing. Circulate hole with fresh water.
- 3) Run 3-1/2" 9.2# J-55 LTC or STC non-upset tubing to 5400' as follows:

Float Shoe

10 centralizers on bottom 10 joints

15 centralizers across the bad casing interval 3395' - 3733'

Cement casing as follows

Pump 200 Sx. 35/65 poz/class G + 6% gel +2% S1 +0.2% D46 (12.6 ppg, 9.42 gal/sack water, 1.81 yield) Tail with 50 Sx class G + 5% D44+ 0.15% D65 + 0.2% D46 (15.5 ppg, 5.06 gal/sack water, 1.17 yield)

Drop plug and displace cement to shoe (do not bump plug) with fresh water. WOC 24 hours.

- 4) TIH W/ 2 -7/8" bit with six 2-1/4" drill collars on 1- 13/16" drill pipe and drill float shoe and cleanout to PBTD 5547'.
- 5)
 TIH W/ 2-1/16" /Ac injection tubing and set packer in 3-1/2" liner. RDMOPU.
- 6) Acidize perforations down injection tubing as follows:
 - A) 1000 gallons acid
 - B) 750 gallons diverting agent
 - C) 2000 gallons acid
 - D) 750 gallons diverting agent
 - E) 2000 gallons acid
 - F) 500 gallons flush

Diverting agent to consist of 30# gelled lease water with 2 ppg rock salt and 5 GPT NE surfactant.


Acid to contain the following:

5 GPT NE Surfactant 2 GPT Corrosion Inhibitor 25 ppt Fe Sequestering agent 1% D-89 mutual solvent

7) Return well to injection service.




ANETH UNIT No. H219 CURRENT COMPLETION





ANETH UNIT No. H219 PROPOSED COMPLETION w/ LINER



Form 3160-5 (June 1990)

12.

Notice of Intent

Subsequent Report

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

F	EB	ļ	3	99 GORM APPROVED		
				Budget Bureau No. 1004-013		

Expires: March 31, 1993

Non-Routine Fracturing

Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

Water Shut-Off

Dispose Water

	5. Lease Designation
IDDV NOTICES AND DEDODTS ON WELLS	 O, Locoo Poolginamon

and Serial No. SUNDRY NOTICES AND REPORT I-149-IND-8836 Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. 6. If Indian, Alottee or Tribe Name Use "APPLICATION FOR PERMIT -- " for such proposals **NAVAJO TRIBE** 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE **ANETH UNIT** 8. Well Name and Number GAS OIL 1. Type of Well: WELL WELL OTHER INJECTION WELL **ANETH UNIT** WELL 2. Name of Operator H219 TEXACO EXPLORATION & PRODUCTION, INC. 9. API Well No. 3. Address and Telephone No. 87401 Farmington NM 325-4397 3300 N. Butler Ave., Suite 100 4303716121 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, Exploratory Area DESERT CREEK Feet From The NORTH Line and 607 Feet From The 1945 **Unit Letter** 11. County or Parish, State Range R24E Township T40S EAST Line Section 19 SAN JUAN, UTAH Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data TYPE OF ACTION TYPE OF SUBMISSION Abandonment Change of Plans **New Construction** Recompletion

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,)*.

Plugging Back

Casing Repair

OTHER:

Altering Casing

TEXACO E. & P., INC. HAS INSTALLED A FULL CASING LINER IN THE SUBJECT WELL. THE FOLLOWING PROCEDURE WAS FOLLOWED:

2/02/95. MIRUSU. NUBOP. RIH WITH 4-1/2" BIT. TAGGED FILL @ 4888'. PU SWIVEL AND DRILLED OUT TO PBTD @ 5547'. CIRC. CLEAN. POOH. RIH WITH OPEN ENDED TBG TO 5393'. RU AND PUMPED 5000# OF SAND IN 3 STAGES. AFTER EACH STAGE, TAGGED SAND, PULLED TBG UP HOLE AND WAITED 30 MIN. FOR SAND TO FALL. POOH WITH TBG. NDBOP. CHANGE OUT WELLHEAD.

2/09/95. RU AND RIH WITH GUIDE SHOE, JT OF 4" CASING, FLOAT COLLAR AND SET 132 JTS OF FLUSH LINE CASING LINER @ 5386'. CIRC. HOLE. SPOTTED 4 BBLS OF GEL AND FLUSHED. STARTED 200 SXS OF 35/65 POZ/CLASS "G" LEAD CMT. FOLLOWED WITH 100 SXS CLASS "G" CMT. 14 BBLS OF CMT AT SURFACE. BUMPED PLUG TO 3000#. FLOAT HELD GOOD. RD AND SET SLIPS AND CUT CASING.

2/13/95. RIH WITH BIT AND SWIVEL. DRILLED OUT FLOAT, SHOE AND CLEANED OUT SAND TO PBTD @ 5574'. CIRC. HOLE CLEAN. PUH WITH TBG. RU AND PERFORATED FROM 5410' TO 5516'. TIH WITH PKR AND SET @ 5389'. PUMPED 5000 GALS OF 28% HCL ACID IN 3 STAGES WITH 750 GALS OF TDA IN BETWEEN STAGES. FLUSHED WITH 21 BBLS FRESH WATER. 2/16/95. RIH WITH 4" PKR AND 172 JTS OF 2-3/8" CMT LINE TBG TO 5366'. CIRC. CHEM. AND TEST BACKSIDE TO 1000# PSI. HELD OK. RDMOL. PUT ON INJECTION.

14. I hereby certify that the foregoing is true and correct SIGNATURE TYPE OR PRINT NAME	Ted A. Tipton	TITLE	Operating Unit Manager		DATE	2/5/96
(This space for Federal or State office use)						
APPROVED CONDITIONS OF APPROVAL, IF ANY:	TITLE			DATE		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

Operator Name Change

X Merger

	cc .:	05 01 2002				
The operator of the well(s) listed below has changed, e	effective:	05-01-2002				
FROM: (Old Operator):		TO: (New Op				
TEXACO EXPLORATION & PRODUCTION INC	}	CHEVRON US	SA INC			
Address: 3300 NORTH BUTLER, STE 100		Address: P O E	OX 36366			
		************	·			
FARMINGTON, NM 87401	ł	HOUSTON,TX				
Phone: 1-(505)-325-4397		Phone: 1-(915)				
Account No. N5700		Account No.				
CA No.		Unit:	ANETH			
WELL(S)						
	i	API NO	ENTITY	l .		WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NAVAJO TRIBAL FED U 3		43-037-15083		INDIAN	WIW	A
NAVAJO TRIBAL 2 (ANETH G-118)	1	43-037-16090		INDIAN	WIW	A
NAVAJO TRIBAL G-5 (ANETH H-218)		43-037-16120		INDIAN	WIW	A
NAVAJO TRIBE D-3 (ANETH H-219)		43-037-16121		INDIAN	WIW	A
NAVAJO TRIBE D-16 (ANETH G-119)	19-40S-24E	43-037-16091	99990	INDIAN	WIW	A
NAVAJO TRIBE D-26 (ANETH F-219)	19-40S-24E	43-037-16077	99990	INDIAN	WIW	A
NAVAJO FED U B-1 (ANETH E-119)	19-40S-24E	43-037-16280	99990	INDIAN	WIW	A
NAVAJO TRIBE D-25 (ANETH G-319)	19-40S-24E	43-037-16309	99990	INDIAN	WIW	A
NAVAJO TRIBE D-27 (ANETH H-419)	19-40S-24E	43-037-16328	99990	INDIAN	WIW	A
NAVAJO TRIBE D-13 (ANETH H-420)	20-40S-24E	43-037-16329	99990	INDIAN	WIW	A
NAVAJO TRIBE D-10 (ANETH E-120)	20-40S-24E	43-037-16050	99990	INDIAN	WIW	A
NAVAJO TRIBE D-17 (ANETH E-320)	20-40S-24E	43-037-16065	99990	INDIAN	WIW	A
NAVAJO TRIBE L-5 (ANETH G-120)	20-40S-24E	43-037-16092	99990	INDIAN	WIW	A
NAVAJO TRIBE D-12 (ANETH G-320)	20-40S-24E	43-037-16105	99990	INDIAN	WIW	A
NAVAJO TRIBE D-8 (ANETH F-220)	20-40S-24E	43-037-16288	99990	INDIAN	WIW	A
NAVAJO TRIBE D-20 (ANETH F-420)	20-40S-24E	43-037-16300	99990	INDIAN	WIW	A
NAVAJO TRIBE L-2 (ANETH H-220)	20-40S-24E	43-037-16314	99990	INDIAN	WIW	A
NAVAJO TRIBE D-4 (ANETH E-121)	21-40S-24E	43-037-16051	99990	INDIAN	WIW	A
NAVAJO TRIBE D-14 (ANETH E-321)	21-40S-24E	43-037-16066	99990	INDIAN	WIW	A
NAVAJO TRIBE D-6 (ANETH F-221)	21-40S-24E	43-037-16078	99990	INDIAN	WIW	A
OPERATOR CHANGES DOCUMENTATION						
Enter date after each listed item is completed						
1. (R649-2-10) Sundry or legal documentation was received to	from the FOR	MER operator	on:	05/06/2002		
		•	0.4/4.6/5.0=	•		
2. (R649-2-10) Sundry or legal documentation was received f	rom the NEW	operator on:	04/12/2002	-		
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	10/16/2002
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	564408-014	3	

N/A

6. (R649-9-2)Waste Management Plan has been received on:	IN PLACE				
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		as approve 10/11/2002	_	er, name ch	ange,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit open	erator for wells	listed on:	10/11/2002	2	
9.	Federal and Indian Communization Agreeme The BLM or BIA has approved the operator for all wells	, ,		N/A		
10	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the v				, Transfer of 10/21/2002	f Authority to Inject,
D A	ATA ENTRY: Changes entered in the Oil and Gas Database on:	10/24/2002				
2.	Changes have been entered on the Monthly Operator Ch		Sheet on:	10/24/200	<u>2</u>	
3.	Bond information entered in RBDMS on:	N/A				
4.	Fee wells attached to bond in RBDMS on:	N/A				
ST	ATE WELL(S) BOND VERIFICATION:					
1.	State well(s) covered by Bond Number:	N/A				
FF	DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	N/A				
IN	DIAN WELL(S) BOND VERIFICATION:					
1.	Indian well(s) covered by Bond Number:	8975810026				
FF	E WELL(S) BOND VERIFICATION:					
1.	(R649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond	Number	N/A	_	
	The FORMER operator has requested a release of liability The Division sent response by letter on:	from their bon	d on:	N/A	_	
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has be of their responsibility to notify all interest owners of this characteristics.	een contacted	and informed N/A	l by a letter fr	om the Divis	ion
	MMENTS: Chevron USA Inc merged with Texaco I hough all the Utah operations will be operated by			on inc to for	m Chevron	Texaco inc
ait	nough an the otali operations will be operated by	<u> </u>				
_						



Chevron U.S.A. Production Company Mid-Continent Business Unit P.O. Box 36366 Houston, TX 77236 Phone 713 754 2000

April 9, 2002

Mr. John Baza, Associate Director of Oil and Gas Utah Department of Natural Resources Division of Oil, Gas & Mining 1594 W. North Temple St., Suite 1210 Salt Lake City, UT 84114-5801 MESSIVED

AFF 1 2 2002

DIVISION **OF** JE, GAS AND **MINING**

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

Don R. Sellars

Sr. Environmental Specialist

Name / Operatorship Change Texaco Exploration and Production Inc.

to Chevron U.S.A. Inc. Injection Wells

	T							
Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	1	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	Α	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	1	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	Α	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	Α	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	Α	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	Α	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	Α	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	Α	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	Α	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	Α	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	Α	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	Α	WI
N57.00	13	400S	230E	4303730297	ANETH B-413	1	Α	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	Α	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	Α	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	Α	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	Α	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	Α	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	Α	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	Α	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	Α	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	Α	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	Α	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	Α	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	Α	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	Α	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	Α	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	1	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	Α	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc. Injection Wells

Account Number	Section	Township	Range	API Number	Well Name		Well Status	• •
N5700	07	400\$	240E	4303730175	ANETH U E407	Type	Main	Main
N5700	08	400S	240E	4303730175		- 1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E		NAVAJO TRIBE E-16 (ANETH H-208)	2	Α	WI
N5700	08	400S		4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	Α	WI
N5700	08		240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	Α	WI
N5700 N5700		400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	Α	WI
	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	Α	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	Α	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	Α	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	Α	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	Α	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	Α	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	Α	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	Α	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	Α	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	Α	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	Α	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	1	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3		WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-116)	3	A	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc. Injection Wells

Account	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	Α	WI
N5700 N5700	16	400S	240E	4303730094	ANETH E-316	3	Α	WI
N5700 N5700	16	400S	240E	4303730107	ANETH G-316	3	Α	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	Α	WI
N5700 N5700	16	400S	240E	4303730344	ANETH G-116	3	А	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	Α	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	Α	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	Α	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	Α	WI
N5700	17	4008	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	Α	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	Α	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	Α	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	Α	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	Α	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	Α	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	Α	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	Α	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	Α	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	Α	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	Α	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	Α	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	Α	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	Α	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	_ A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	Α	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	Α	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to

Chevron U.S.A. Inc.
Injection Wells

Account							Well Status	
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	Α	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	Α	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	Α	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	Α	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	Α	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	Α	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	Α	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	Α	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	Α	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	Α	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	Α	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	Α	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	Α	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	Α	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	1	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	Α	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	Α	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	Α	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	А	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	Α	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	Α	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	Α	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	Α	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	Α	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	Α	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	Α	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc. Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	Α	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	А	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	Α	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	Α	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	Α	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	Α	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	Α	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	Α	Wi
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	А	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	Α	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	Α	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	Α	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	Α	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	Α	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	Α	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	Α	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	1	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	Α	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	А	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	Α	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	Α	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	Α	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	- 2	1	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc. Injection Wells

Account Number		Tananakin	_			Lease	Well Status	Well Type
		Township	Range	API Number	Well Name	Type	Main	Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	Α	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	1	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	Α	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	Α	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	Α	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING \

TRANSFER OF AUTHORITY TO INJECT								
Well Name and Number Orangeville & Huntington, Emery County, Utah (See	e Attached Well List)	API Number						
Location of Well		Field or Unit Name						
Footage: See attached well locations	County : Emery	See Attached Well List						
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See Attached Well List						

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OF	PERATOR		
Company:	Texaco Exploration and Production Inc	Name:	Althen S. Robinson
Address:	3300 North Butler, Suite 100	_ Signature:	allus Roleun
	city Farmington state NM zip 87401	Title:	Attorney-In-Fact
Phone:	(505) 325-4397	_ Date:	April 30, 2002
Comments			

NEW OPERATOR Chevron U.S.A. Inc. Company: Name: P.O. Box 36366 Address: Signature: city Houston state TX _{zip} 79702 Title: (915) 687-2000 Phone: May 1, 2002 Date: Comments:

(This space for State use only)

Transfer approved by:

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 0 6 2002

DIVISION OF OIL, GAS AND MINING

STA OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells								
SUNDRY NOTICES AND REPORTS ON	BLW & State of Utan								
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for suc	proposals. Orangeville & nuntington								
	r Name Change 8. WELL NAME and NUMBER: See Attached List of Wells								
2. NAME OF OPERATOR: Chevron U.S.A. Inc.	9. API NUMBER:								
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: (281) 561-3443								
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells	county: Emery								
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: UTAH									
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA									
TYPE OF SUBMISSION	TYPE OF ACTION								
NOTICE OF INTENT	PEN REPERFORATE CURRENT FORMATION								
(Submit in Duplicate)	CTURE TREAT SIDETRACK TO REPAIR WELL								
Approximate date work will start: CASING REPAIR NE	V CONSTRUCTION TEMPORARILY ABANDON								
CHANGE TO PREVIOUS PLANS OP	ERATOR CHANGE TUBING REPAIR								
	IG AND ABANDON VENT OR FLARE								
SUBSEQUENT REPORT CHANGE WELL NAME PLI (Submit Original Form Only)	G BACK WATER DISPOSAL								
	DDUCTION (START/RESUME) WATER SHUT-OFF								
	CLAMATION OF WELL SITE OTHER: Operator Name								
CONVERT WELL TYPE RE	Change (Merger)								
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent does Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of previously operated by Texaco Exploration and Production Inc. To of Huntington, Emery County, Utah. These Wells will be protected STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80 Company bond number U89-75-80-0059. We respectfully request BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000 Key Contacts: Ron Wirth - Operations Supervisor - 435 748-5395 x1 Texaco Exploration & Production Inc. J. S. Purdy, Attorney-In-Fact	the attached list of subject wells and leases that were subject wells are located North of Orangeville and North by the following surety bonds: 000. (This bond will replace United Pacific Insurance this bond be released and returned.)								
Allen S. Robinson	Attorney—In—Fact								
NAME (PLEASE PRIOR) ALTEIT S. RODITISOTT	ince								
SIGNATURE UPLUS COHUND	DATE April 30, 2002								

(This space for State use only)



MINERALS DEPARTMENT
Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE PRESIDENT TAYLOR McKENZIE, M.D. VICE PRESIDENT

October 11, 2002

Mr. Don Sellars Regulatory Specialist ChevronTexaco 11111 S. Wilcrest Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

2) 3) 4)	I-149-IND-8834 I-149-IND-8835 I-149-IND-8836 I-149-IND-8838	7) 8) 9)	I-149-IND-8839 14-20-603-2057 14-20-603-2059 14-20-603-4030-A	12) 13)	14-20-603-4035 14-20-603-4037 14-20-603-5043-A 14-20-603-5446
,	I-149-IND-8839-A	•	14-20-603-4032	- //	

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director Minerals Department

Attachments AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING 1. GLH

2. CDW 3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has	changeu,	Africa (Allen:		2/1/2004	L. , .				
FROM: (Old Operator):			TO: (New Operator):						
N0210-Chevron USA, Inc.		N2700-Resolu			ompany				
PO Box 4791		1675 I	Broadway, S	uite 1950					
Houston, TX 77210-4791				Denve	r, CO 80202				
Phone: 1-(713) 752-7431		Phone: 1-(303) 534-4600						
CA	No.	Unit:		AN	NETH				
WELL(S)									
NAME	SEC	TW	N RNG	API NO	ENTITY	LEASE	WELL	WELL	
					NO	TYPE	TYPE	STATUS	
NAVAJO TRIBE E-16 (ANETH H-208)	08	400S	240E	4303716119	99990	Indian	WI	A	
NAVAJO TRIBE E-7 (ANETH H-410)	10	400S	240E	4303716125		Indian	WI	I	
NAVAJO TRIBAL G-5 (ANETH H-218)	18	400S	240E	4303716120	99990	Indian	WI	A	
NAVAJO TRIBE D-3 (ANETH H-219)	19	400S	240E	4303716121	99990	Indian	WI	Α	
NAVAJO TRIBE D-7 (ANETH H-221)	21	400S	240E	4303716122	99990	Indian	WI	A	
NAVAJO TRIBE D-2 (ANETH H-122)	22	400S	240E	4303716117	99990	Indian	WI	A	
NAVAJO TRIBE D-22 (ANETH H-422)	22	400S	240E	4303716127	7000	Indian	WI	I	
NAVAJO TRIBE C-8 (ANETH H-223)	23	400S	240E	4303716123		Indian	WI	A	
NAVAJO TRIBE C-3 (ANETH H-423)	23	400S	240E	4303716128	7000	Indian	WI	A	
NAVAJO TRIBE C-11 (ANETH H-225)	25	400S	240E	4303716124		Indian	WI	A	
NAVAJO TRIBE C-24 (ANETH H-425)	25	400S	240E	4303716129	99990	Indian	WI	A	
ANETH 27-B2 (ANETH F-227)	27	400S	240E	4303716223	7000	Indian	WI	Ī	
ANETH 28-A-1 (ANETH E-128)	28	400S	240E	4303716222		Indian	WI	A	
ANETH 28-C-1 (ANETH G-128)	28	400S	240E	4303716224		Indian	WI	A	
ANETH UNIT L-419	19	400S	250E	4303716140	99990		WI	A	
NAVAJO TRIBE F-8 (ANETH J-129)	29	400S		4303716131	99990		WI	A	
NAVAJO TRIBE F-9 (ANETH J-130)	30	400S		4303716132	99990		WI	A	
NAVAJO TRIBE F-5 (ANETH J-330)	30			4303716134	99990		WI	A	
NAVAJO TRIBE F-2 (ANETH K-230)	30	_		4303716135	99990		WI	A	
NAVAJO TRIBE F-7 (ANETH K-430)	30	400S		4303716137	99990		WI	A	
NAVAJO TRIBE F-6 (ANETH L-330)	30	400S		4303716139	99990		WI	A	
NAVAJO TRIBE F-10 (ANETH M-230)	30			4303716141	99990		WI	A	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is complete	d
---	---

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 12/22/2004

(R649-8-10) Sundry or legal documentation was received from the NEW operator on: 12/13/2004

11/22/2004

The new company was checked on the Department of Commerce, Division of Corporations Database on: Is the new operator registered in the State of Utah:

YES Business Number: 5733505-0143

If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on:

requested

6b. Inspections of LA PA state/fee well sites complete on:

12/20/2004

 Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian lease. 	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operators.	or for wells listed on: <u>not yet</u>
 Federal and Indian Communization Agreements The BLM or BIA has approved the operator for all wells list 	2. 美国 1. 美国
10. Underground Injection Control ("UIC") The Inject, for the enhanced/secondary recovery unit/project for the	ne Division has approved UIC Form 5, Transfer of Authority to ne water disposal well(s) listed on:
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	12/29/2004
2. Changes have been entered on the Monthly Operator Chang	e Spread Sheet on: <u>12/29/2004</u>
3. Bond information entered in RBDMS on:	<u> </u>
4. Fee/State wells attached to bond in RBDMS on:	<u></u>
5. Injection Projects to new operator in RBDMS on:	separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New of	n: n/a
FEDERAL WELL(S) BOND VERIFICATION:	
1. Federal well(s) covered by Bond Number:	B001263
INDIAN WELL(S) BOND VERIFICATION:	
1. Indian well(s) covered by Bond Number:	B001264
FEE & STATE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered.	
2. The FORMER operator has requested a release of liability from The Division sent response by letter on:	m their bond on: not yet
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been of their responsibility to notify all interest owners of this change	
COMMENTS:	
was a second of the second of	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	DIVISION OF OIL, GAS AND P	WINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
SUNDR	Y NOTICES AND REPOR	TS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
			Navajo
Grill Horizonical	new wells, significantly deepen existing wells below laterals. Use APPLICATION FOR PERMIT TO DRIL	current bottom-hole depth, reenter plugged wells, or to LL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Aneth Unit
1. TYPE OF WELL OIL WELL	GAS WELL OTHER	Injection wells	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:			See Attachment
Resolute Natural Resour	ces Company N270	10	9. API NUMBER: See Attach
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950	Danver	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	TY Denver STATE CO	80202 (303) 534-4600	Desert Creek
FOOTAGES AT SURFACE: See A			COUNTY: San Juan
			UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
☐ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: Change of Operator
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	l pertinent details including dates, depths, volume	s etc
		s Operator of the Aneth Unit. The s	
Natural Resources Comp	any.	o operator of the visit of the	decessor operator is Resolute
		•	
		•	
NAME (PLEASE PRINT)	ut Pasque	TITLE Vice Pre.	sident
SIGNATURE	ongul	DATE	,
This space for State use only)			* 32 m

APPROVED 12 29 2004

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(5/2000)

(See Instructions on Reverse Side)

S E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

		, , , , , , , , , , , , , , , , , , ,			See attached ex	
SUNDRY	NOTICES AND RE	PORTS O	N WEL	LS	6. IF INDIAN, ALLOTTEE O	R TRIBE NAME:
				<u>-</u>	Navajo 7. UNIT of CA AGREEMEN	TNAME
Do not use this form for proposals to drill notified the drill have drill horizontal la	ew wells, significantly deepen existing to sterals. Use APPLICATION FOR PERM	wells below current bo AIT TO DRILL form fo	ottom-hole dept or such proposa	th, reenter plugged wells, or to ls.	Aneth Unit	I NAME.
1. TYPE OF WELL OIL WELL	GAS WELL	OTHER See	attached	exhibit.	8. WELL NAME and NUMB	
2. NAME OF OPERATOR:					See attached ex	nibit.
Resolute Natural Resource	es Company				See attached ex	hibit.
ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY	Denver	CO _{ZIP} 802	002	PHONE NUMBER: (303) 534-4600	10. FIELD AND POOL, OR	WILDCAT:
4. LOCATION OF WELL	Y DEIVEI STATE	OO ZIP OOZ	.02	(303) 334-4600	Aneth	
FOOTAGES AT SURFACE:					COUNTY: San Juan	
QTR/QTR, SECTION, TOWNSHIP, RAN-	OF MEDICIAN		£ 888888	***************************************	2000	
GINGIN, SECTION, TOWNSHIP, KAN	GE, MERIDIAN:				STATE:	AH
11. CHECK APPF	ROPRIATE BOXES TO	INDICATE N	IATURE	OF NOTICE REPO	RT OR OTHER D	<u> </u>
TYPE OF SUBMISSION	T			PE OF ACTION	itt, ortofficito	11/4
NOTICE OF INTENT	ACIDIZE		DEEPEN	5. /(5/15/1	REPERFORATE CI	URRENT FORMATION
(Submit in Duplicate)	ALTER CASING		FRACTURE	TREAT	SIDETRACK TO RE	
Approximate date work will start:	CASING REPAIR		NEW CONS	TRUCTION	TEMPORARILY AB	ANDON
	CHANGE TO PREVIOUS PLA	NS 🔲	OPERATOR	CHANGE	TUBING REPAIR	
	CHANGE TUBING		PLUG AND A	ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME		PLUG BACK		WATER DISPOSAL	-
Date of work completion:	CHANGE WELL STATUS		PRODUCTIO	N (START/RESUME)	WATER SHUT-OFF	:
•••••	COMMINGLE PRODUCING FO	ORMATIONS	RECLAMATI	ON OF WELL SITE	OTHER: Chanc	e of operator
	CONVERT WELL TYPE		RECOMPLE	E - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clear	rly show all pertine	ent details inc	luding dates, depths, volum	es, etc.	
As of December 1, 2004, (Chevron U.S.A. Inc. resi	igned as oper	rator of th	e Aneth Unit. Reso	lute Natural Resour	ces Company
has been elected the succ	essor operator.					,
					5-	OEN/ED
					KE	CEIVED
					DE	C 2 2 2004
					DIV OF C	OIL, GAS & MINING
					DIV. OF	VIE, GITO GITTING
NAME (PLEASE PRINT) Chevron U	J.S.A. Inc.	10210		A. E. Wacker, Att	ornev-in-Fact	
			TITLE		, ,	
SIGNATURE	Nackey		DATE	12/20/2004	Ÿ,	
				APPROV	ED 12/29/	2000
(This space for State use only)					، تىلنىڭ ئىكىلىد	47

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT									
Well Name and Number See attached exhibit.		API Number See attached exhibit.							
Location of Well Footage:	County: San Juan	Field or Unit Name Aneth Unit							
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached exhibit.							

EFFECTIVE DATE OF TRANSFER: 12/1/2004 **CURRENT OPERATOR** NOZIO Chevron U.S.A. Inc. Company: A. E. Wacker Name: 1111 Bagby St. Address: E-Wacter Signature: city Houston state TX zip 77002 Attorney-in-Fact Title: (713) 752-6000 Phone: 12/20/2004 Date: Comments: RECEIVED DEC 2 2 2004 **NEW OPERATOR** N2700 DIV. OF OIL, GAS & MINING Resolute Natural Resources Company Company: Name: 1675 Broadway, Suite 1950 Address: Signature: state CO city Denver zip 80202 Title: (303) 534-4600 Phone: Date: Comments: (This space for State use only) Transfer approved by:

Title: VIC Geologist.

Title: VIC Geologist.

The provention of the Aneth CZIH and Aneth B14

ments: Transfer of Authority to Inject into the Aneth CZIH and Aneth B14

contiguet on this office receiving a corrective action plan for

contiguet on this office receiving a corrective action plan for

contiguet on this office receiving a corrective action plan for

contiguet on this office receiving a corrective action plan for

contiguet on this office receiving a corrective action plan for

contiguet on this office receiving a corrective action plan for

contiguet on this deal Aneth 214 failed 5 year test on Aneth B14.

Operator would not considered a facilities.

NUM	API_NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW		13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940		SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13		R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14		R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E		I-149-IND-8837	Active		G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E		14-20-603-372	Active		J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E		SL-070968	Shut-In			State of Utah
C214	4303716033			14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E		SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14				SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17				I-149-IND-8835		E117		Navajo Nation
E120	4303716050	NW	NW	20	T40S			I-149-IND-8836				
E121	4303716051	NW	NW	21	T40S			I-149-IND-8836				Navajo Nation Navajo Nation
E126	4303716054	NW	NW	26	T40S			I-149-IND-8838				
E129	4303716055	NW	NW	29	T40S			14-20-603-4030				Navajo Nation
E308	4303716060	NW	SW	8	T40S			I-149-IND-8833				Navajo Nation
E309	4303716061	NW	SW	9					P/A	2300		Navajo Nation
E317	4303716062							I-149-IND-8835		E317		Navajo Nation
E318							·····	SL-067807				Navajo Nation
			SW				**************************************		P/A	E310	E318	Navajo Nation
			SW							E320		Navajo Nation
			SW									Navajo Nation
		NW										Navajo Nation
		NW										Navajo Nation
		NW										Navajo Nation
		NW										Navajo Nation
		NW										Navajo Nation
			NW									Navajo Nation
	100710074	4 7.L.)	4 4 4 4	1.7	ן מטדו	CZ4E (DOU FINE/ZIAU FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	DAE	2140	VENI /2050/ EWI	I-149-IND-8833	A saissa	17200	FIGOR	15.5
F219	4303716077	SE	NW	19	T40S				I-149-IND-8836	Active	F208 F219	F208	Navajo Nation
F221	4303716077	SE	NW	21	T40S				I-149-IND-8836	Active	F219	F219	Navajo Nation
F223	4303716078	SE	NW	23	T40S	R24E			I-149-IND-8838	Active	F223	F221	Navajo Nation
F225	4303716079	SE	NW	25	T40S			' FNL/2080' FWL		Active	F225	F223	Navajo Nation
F409	4303716080	SE	SW	9	T40S			FSL/1980' FWL	I-149-IND-8834	Active	F409	F225	Navajo Nation
F421	4303716082	SE	SW	21	T40S	R24E		FSL/1980 FWL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Active	F421	F409	Navajo Nation
F422	4303716084	SE	SW	22	T40S			FSL/1990 FWL	I-149-IND-8836	Active	F422	F421	Navajo Nation
F423	4303716086	SE	SW	23	T40S			FSL/1980 FWL FSL/1955' FWL	I-149-IND-8836 I-149-IND-8838	Active Active	F423	F422 F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S			FSL/2100' FWL	I-149-IND-8838	~	F424		Navajo Nation
G117	4303716089	NW	NE	17	T40S			FNL/1980' FEL	I-149-IND-8835	Active Active	G117	F424 G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S			FNL/1910' FEL	I-149-IND-8835	Active	G118	G117	Navajo Nation
G119	4303716091	NW	NE	19	T40S			FNL/2140' FEL	I-149-IND-8836	Active	G118	G118	Navajo Nation
G120	4303716092	NW	NE	20	T40S			FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S			FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	****	FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S			'FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S			'FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S			'FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S			'FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S			'FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S			'FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S			'FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	sw	SE	15	T40S			FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S			FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S			FNL/820' FEL	SL-067807	T/A		11122	Navajo Nation State of Utah
H208	4303716119		NE	8	T40S			FNL/660' FEL	I-149-IND-8833	Active	H208	H208	
H218	4303716120	SE	NE	18	T40S			FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S			FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE		21	T40S			FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE		23	T40S			FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S			FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125		SE	10	T40S			FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation Navajo Nation
H422	4303716127	SE	SE	22	T40S			FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation Navajo Nation
H423	4303716128	SE		23	T40S			SL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE		25	T40S	-		SL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S			NL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S			NL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	-				I-149-IND-8839		J330		Navajo Nation
K230	4303716135	_	NW						I-149-IND-8839	Shut-In		 	Navajo Nation
	4303716137			30					I-149-IND-8839		K430		Navajo Nation
	4303716139			30					I-149-IND-8839		L330		Navajo Nation
	4303716140			19					I-149-IND-8839		L419		Navajo Nation
	4303716141	SE	NE					FNL/660' FEL	I-149-IND-8839		M230		Navajo Nation
	4303716222							NL/660' FWL	14-20-603-2056	Active	E128		Navajo Nation
	4303716223								14-20-603-2056	T/A		· · · · · · · · · · · · · · · · · · ·	Navajo Nation
G128	4303716224	NW						NL/1980' FEL	14-20-603-2056	Shut-In	G128		Navajo Nation
									1 - 1 - 20 000-2000	Jiiut-III	G 140	O140	inavajo manon

	· · · · · · · · · · · · · · · · · · ·											
H228	4303716228	SE	NE	28	T40S	R24E		14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E		SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S		500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S		3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S		2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E		SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E		SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E		SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E		SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E		SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E		I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S		2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW		8	T40S		1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S			I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S		1970' FNL/2060' FWL		Active	F218	F218	Navajo Nation
F220	4303716288	SE		20	T40S				Active	F220	F220	Navajo Nation
F224	4303716289	SE		24	T40S				Active	F224	F224	Navajo Nation
F226	4303716290	SE		26	T40S		1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE		29	T40S			14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE		35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE		36	T40S			14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S			I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S			I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S			ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S			I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE		17	T40S			I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE		20	T40S		660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE		25	T40S			I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302			26	T40S			I-149-IND-8838	P/A			Navajo Nation
F434	4303716303			34	T40S			14-20-603-2056	P/A			Navajo Nation
F435	4303716304			35	T40S			14-20-603-2059	T/A			Navajo Nation
G123	4303716306			23	T40S			I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307			27	T40S			14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309			19				I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312			16				ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313			17			2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314			20				I-149-IND-8833	Active	H220	1	Navajo Nation
H226	4303716316			26				I-149-IND-8838	Active	H226	1222	Navajo Nation
	4303716317			27				14-20-603-2056		H227		Navajo Nation
	4303716318			29			1820' FNL/660' FEL	14-20-603-4030	Shut-In			Navajo Nation
	4303716319			34			1980' FNL/660' FEL	14-20-603-2056		H234		Navajo Nation
	4303716320						2000' FNL/770' FEL			H235	1	Navajo Nation
	4303716322				T40S	R24E	645' FSL/500' FEL			H407		Navajo Nation
	4303716323				T40S	R24E :	500' FSL/530' FEL			H408		Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E :				H417	T	Navajo Nation
											1— <i>1</i> — 1	Tuvajo Manon

												
H418	4303716327	SE	SE	18	T40S		660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S		570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S		660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S		500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S		820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	1	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S		660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S		2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S		670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S		720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S		660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S		500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW		12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW		7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW		22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE		23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE		13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW		13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE		15	T40S	R24E		I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE		16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW		21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW		16	T40S	R24E		ML-3156	Active	G116	G116	Navajo Nation
	4303730372	NW		26	T40S			I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S			I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S			I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S		······································	I-149-IND-8837	Active	H314X	H314X	Navajo Nation
					· · · · · · · · · · · · · · · · · · ·			, 000/			1222,147	irravajo manon